










D


C

B

A



TYPICAL PCB LAYOUT  
SIZE 15 SHOWN FOR REFERENCE 9



9.
10.
11.
12.
13.
- POSITIONAL TOLERANCES FOR BASIC DIMENSIONED FEATURES ARE RELATIVE TO FIDUCIALS OR SOME SIMILAR DATUM REFERENCES DEFINED BY PCB DESIGNER.
- PLATED THROUGH HOLES
- SOLDER PADS
- ALL THROUGH HOLE LAYOUTS ARE AS VIEWED FROM TOP OF PCB.
- CONNECTOR ORIENTATION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN  
D. RYAN  
27 JUN 00

CHK  
M. STORRY  
15 AUG 00

APVD  
—

PRODUCT SPEC  
—

APPLICATION SPEC  
—

WEIGHT  
—

CUSTOMER DRAWING

SCALE  
8:1

SHEET  
2 of 2

REV  
S1

TE Connectivity

RECEPTACLE ASSEMBLY, VERTICAL MOUNT,  
THROUGH HOLE, 2 TO 4 ROW,  
.050 SPACING, PLASTIC OR METAL

SIZE  
A2

CAGE CODE  
OJPN9

DRAWING NO  
C=1589488

RESTRICTED TO  
—

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[STM051M5LQ](#)