



| LOC | DIST | REVISIONS |     |                           |           |     |      |
|-----|------|-----------|-----|---------------------------|-----------|-----|------|
| E   | B    | P         | LTR | DESCRIPTION               | DATE      | DWN | APVD |
|     |      |           | BA1 | REVISED PER ECO-11-005150 | 11MAY2011 | RK  | HMR  |
|     |      |           |     |                           |           |     |      |



FOR FURTHER INFORMATION SEE DATA SHEET FOR  
SERIES TL3A - SMD LOW-OHMIC CURRENT SENSE RESISTORS




RoHS Compliant



SCALE 10:1

|   |  |                  |           |  |  |              |  |
|---|--|------------------|-----------|--|--|--------------|--|
| DIMENSIONS:   |  | DWN              | 07-JAN-09 | MATERIAL   |  | FINISH       |  |
| mm  |  | SUBHASH.M        |           | -  |  | -            |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:  |  | CHK              | 07-JAN-09 | <div>TE Connectivity</div> |  |              |  |
|   |  | PRAKASH.S        |           |  |  |              |  |
|   |  | APVD             | 07-JAN-09 |  |  |              |  |
|   |  | STEPHEN.P        |           |  |  |              |  |
| 0 PLC ±0.2  |  | PRODUCT SPEC     |           | NAME SMD LOW-OHMIC CURRENT SENSE RESISTORS<br>SERIES TL3A  |  |              |  |
| 1 PLC ±0.1  |  | -                |           |  |  |              |  |
| 2 PLC ±   |  | APPLICATION SPEC |           | SIZE CAGE CODE DRAWING NO RESTRICTED TO  |  |              |  |
| 3 PLC ±   |  | -                |           |  |  |              |  |
| 4 PLC ±   |  | WEIGHT           |           | A 4 00779 C-1625827 -  |  |              |  |
| ANGLES ±5°  |  | -                |           |  |  |              |  |
|  |  | CUSTOMER DRAWING |           | SCALE 20:1   |  | SHEET 1 OF 1 |  |
|   |  |                  |           |  |  | REV BA1      |  |



# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[TL3AR01](#)