



PRELIMINARY

REMOVE FRONT RETENTION PLATE	AS SHOWN ON SHT 2, WITH FORWARD FACING ALIGNMENT PINS	7	2000810-6
REMOVE REAR MODULE	AS SHOWN ON SHT 2, WITH ALIGNMENT PINS	7	2000810-5
	AS SHOWN ON SHT 2, WITHOUT ALIGNMENT PINS	7	2000810-4
REMOVE FRONT RETENTION PLATE	AS SHOWN ON SHT 1, WITH ALIGNMENT PINS	7	2000810-3
	AS SHOWN ON SHT 1, WITHOUT ALIGNMENT PINS	7	2000810-2
CONTACT REMOVAL TYPE	DESCRIPTION	POSITIONS	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT		DWG 29 JUL2008 Brent D. Young CHK 07 FEB2013 Chong Yi APPV 12 MAR2013 Chong Yi		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 P L C ± 1 P L C ±0.1 2 P L C ±0.05 3 P L C ± 4 P L C ± ANGLES ± FINISH		NAME MODULE, COAX, 7 POSN, RECEPTACLE, MOTHERBOARD, HSR, UNSEALED, STANDARDIZED 4 BAY	
		PRODUCT SPEC APPLICATION SPEC		SIZE CASE CODE DRAWING NO A100779C=2000810	
MATERIAL STAINLESS STEEL PER ASTM-A-582		WEIGHT -		RESTRICTED TO -	
PASSIVATED PER AMS 2700B		CUSTOMER DRAWING		SCALE 2:1 SHEET 1 OF 2 REV B	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[TE Connectivity:](#)

[2000810-2](#)