44A0111-18-964 - ACTIVE

Raychem

TE Part # 287807-000 TE Internal #: 44A0111-18-964 View on TE.com >

Wire & Cable > Hook Up Wire

-ETE

Cable Type: Spec 44

Voltage Rating: 600 V

Insulation Material: Radiation-Crosslinked, Extruded Polyalkene

Conductor Material: Tin-Coated Copper

Wire Size: 18 AWG

Features

Product Type Features

Cable Style	Primary
Product Type	Wire
Product Classification	Cable - High Performance - Spec 44, 55 & RCW
Cable Type	Spec 44



Configuration Features

Number of Conductors	1	
Number of Strands	19	
Electrical Characteristics		
Voltage Rating	600 V	
Body Features		
Wire Color	White with Blue & Yellow Stripe	
Insulation Material	Radiation-Crosslinked, Extruded Polyalkene	
Conductor Material	Tin-Coated Copper	
Dimensions		
Overall Outside Diameter	1.65 mm[.065 in]	
Wire Diameter	1.65 mm[.065 in]	
Conductor Diameter	1.27 mm[.05 in]	
Strand Size	30 AWG	

C For support call+1 800 522 6752

44A0111-18-964

TE Part # 287807-000 TE Internal #: 44A0111-18-964



Wire Size	.82 mm ²	
Usage Conditions		
Operating Temperature Range	-65 – 150 °C	
Other		
Wire Source	United States	
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)	
Halogen Content	Out of Scope - excluded from Halogen requirements	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts




TE Part # 287807-000 TE Internal #: 44A0111-18-964





Customers Also Bought



55D0111-22-9	14 MODII HDR SRST UNSHRD STKG	RL73K 3A R91 5% 1K RL	RN 0603 549R 0.1% 10PPM CUT LENGTH
= TE	ETE		
TE Part #1614379-5 RN 0805 12K 0.1% 10PPM CUT LENGTH	TE Part #EJ2971-000 TXR40AZ00-2016AI-RW		

Documents

Product Drawings 44A0111-18-964

English

Datasheets & Catalog Pages 1654025_Sec9_SPEC44

English

Product Specifications Product Specification

44A0111-18-964

TE Part # 287807-000 TE Internal #: 44A0111-18-964



English

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity: 44A0111-18-964