

#### Raychem


TE Part # 545933-000

TE Internal #: DK-602-0156-N-0

View on TE.com >



Harnessing > Interconnect Devices > Shielded Contacts



Product Type: Contact

Wire/Cable Type: Twisted Pair

Contact Style: **Pin**Contact Size: **8** 

### **Features**

### **Product Type Features**

Product Type	Contact
Wire/Cable Type	Twisted Pair
Contact Features	
Contact Style	Pin
Contact Size	8
Termination Features	
Termination Method	Solder
Usage Conditions	
Operating Temperature (Max)	150 °C
Industry Standards	
Government Qualified	No
Military Standard	MIL-C-38999 I, III, IV
Other	

### **Product Compliance**

Comment

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold

Data Bus Contacts

TE Part # 545933-000 TE Internal #: DK-602-0156-N-0



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2019 (197) Candidate List Declared Against: JAN 2019 (197)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

### Compatible Parts



# Customers Also Bought






RT-770-3/8-0-SP




TE Part #013750-000 AA-400-128-MK3-EL-KIT-120



TE Part #EG2735-000 2022Y1422-9X TE Part # 545933-000 TE Internal #: DK-602-0156-N-0





TE Part #819103-000 462A421-51-0



TE Part #
ZPF000000000008852
983-6SE 14-12 SN-L




TE Part #
ZPF0000000000009013
983-6SE 24-30 P9 L



TE Part #D55601N001 D-602-0141-C11788CS1193



TE Part #YDTS26F13-98SNC001 PLUG ASSY



### **Documents**

## Product Drawings

DK-602-0156-N-0

English

#### Datasheets & Catalog Pages

Data Bus Components Brochure

English

#### **Product Specifications**

Installation Procedure for DK-602-0156 and -0157 Triaxial Contacts

English

Installation Procedure for DK-602-0156 and ?0157 Triaxial Contacts

#### **Product Environmental Compliance**

**REACH Substance Communication Document** 

English

#### **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

TE Connectivity:

DK-602-0156-N-0