

Wiremold Discontinued - 6CT Evolution™ Poke Thru Surface Style Cover, Aluminum Part No. 6CTC2AL



Surface style die-cast aluminum cover assembly in painted aluminum finish. 6CTC2 Series cover assemblies designed for use with 6STC, 6STCP and 6STCPAV Poke-Thru Stem Assemblies. NOTE: Add suffix inchTRinch to the end of the part number to indicate tamper-resistant cover assembly.

Features & Benefits

The new Evolution Series poke-thru design includes all metal die-cast aluminum cover assemblies, with two lids to get broken or cause an added trip hazard.

The cover opens a full 180 degrees with two unique spring-loaded unique spring-loaded slide egress doors. No clumsy flip slide egress doors to keep wires, connections and people safe.

Surface style cover assemblies: A surface style cover is for mounting on top of the finished floor surface. The polished concrete, or terrazzo.

Evolution Series Poke-Thru Devices are available in multiple finishes, (BK) black, (GY) gray, (NK) nickel, (BS) brass, (BZ) bronze, surface cover is designed to be used for carpet, tile, wood, (AL) aluminum, (AA) brushed aluminum, (SB) satin brass, and (SN) satin nickel to seamlessly match your environment.

Specifications

General Info			
Product Line	Wiremold	Replaced by Part Number	6CTC2AA
Color	Aluminum	UPC Number	786564088288
Country Of Origin	India	Application Sector	Commercial
Standard	cULus Listed Metallic Outlet Boxes: File E2961 Guide QCIT, cULus Listed Nonmetallic Outlet Boxes & Fittings Classified for Fire Resistance: File R8209 Guide CEYY Meets Article 300.21 300.22[C] &314 of NEC	Туре	Cover
Dimensions			
Product Width US	7.25 in	Product Weight US	2.03 lb
Product Volume US	60.97 cu in	Product Depth US	1.16 in

Product Height US	7.25 in	Core Hole Size	6 in	
Listing Agencies / 3rd Party Agencies				
cULus ListingNumber	E2961	cULus Listed	Yes	
Additional Information				
RoHS Compliant	Yes			
Technical Information				
Number of Outlets	0			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Wiremold:

6CTC2AL