

Series: ARMADILLO

Description: Vehicular Multiband Antenna with Adhesive Mount

PART NUMBER: ARMXXXXXAM





Features:

- Low profile, only 1.8" tall
- Up to 6-lead Configuration
 - LTE(2x) MIMO
 - WiFi(3x) MIMO-|2.4/5.x GHz
 - GPS/GNSS (1x)
- Frequency of Operation:
 - 698-960MHz,1710-2690MHz
 - 2400-2500MHz,5150-5925MHz
 - 1559-1606MHz

Applications:

- Telematics, Navigation
- First Responders(Police, Fire, Ambulance/EMS)
- Energy, Utility, Construction
- Fleet Management
- DSRC(Dedicated Short Range Communications)
- Available Configurations:
 - Black, White
 - Direct, Magnetic, Adhes.Mount

Issue: 1901

For more information:

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

CONFIDENTIAL AND PROPRIETARY INFORMATION This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



1



Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXXAM

This document covers all product variants of the following product family

Product	Total Cable Leads	LTE Cable Leads	WiFi Cable Leads	GPS Cable Leads	Housing Color	Cable Length	Mounting
ARM62311AM	6	2 (with SMA Male)	3 (with RP-SMA Male)	1 (with SMA Male)	Black	17 FT or 5181mm	3M VHB4959
ARM62312AM	6	2 (with SMA Male)	3 (with RP-SMA Male)	1 (with SMA Male)	White		
ARM52211AM	5	2 (with SMA Male)	2 (with RP-SMA Male)	1 (with SMA Male)	Black		
ARM52212AM	5	2 (with SMA Male)	2 (with RP-SMA Male)	1 (with SMA Male)	White		
ARM42111AM	4	2 (with SMA Male)	1 (with RP-SMA Male)	1 (with SMA Male)	Black		
ARM42112AM	4	2 (with SMA Male)	1 (with RP-SMA Male)	1 (with SMA Male)	White		
ARM32011AM	3	2 (with SMA Male)	0	1 (with SMA Male)	Black		
ARM32012AM	3	2 (with SMA Male)	0	1 (with SMA Male)	White		
ARM21011AMTT	2	1 (with TNC Male)	0	1 (with TNC Male)	Black		

Product Numbering Vehicular Multiband Antenna with Direct Mount

(Part Number)

nber)		X	AM •
۲	Product ID: ARMADILLO		
۲	Total Number of Cable leads		
۲	Total Number of LTE Cable Leads		
۲	Total Number of WiFi Cable Leads		
۲	Total Number of GPS Cable Leads		
۲	The Color of the Plastic Housing 1=Black; 2= White		
-	Mounting: Adhesive Mount		

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXXAM

ELECTRICAL SPECIFICATIONS					
Frequency	698-960MHz, 1710-2690MHz				
	2400-2500MHz, 5150-5925MHz				
Nominal Impedance	50 Ω				
VSWR*					
698-960MHz	<2.5				
1710-2690MHz	<2.5				
2400-2500MHz	<2				
5150-5925MHz	<2				
Isolation*					
698-960MHz, 1710-2690MHz	-8dB				
2400-2500MHz, 5150-5925MHz	-12dB				
Average Peak Gain**					
698-960MHz;	4.6dBi				
1710-2690MHz	5.1dBi				
2400-2500MHz	4.9dBi				
5150-5925MHz	7.9dBi				
Polarization	Vertical				

*Test on 500mm ground plane with 17ft(5.2m) LMR195 cable **Test on 500mm ground plane with 1ft(304.8) LMR195 cable

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3



Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXXAM

ELECTRICAL SPECIFICATIONS

GPS Antenna	
Frequency	1561.098±2.046MHz/ 1575.42±1.023MHz/ 1602.5625±4MHz
Nominal Impedance	50 Ω
VSWR	<2
Gain (Radiating Element)	1 dBic±1 dB
Gain (LNA Gain)	30 dB± 2 dB
Polarization	RHCP
Out of Band Rejection	
698 MHz	>70 dB
960 MHz	>65 dB
1710 MHz	>60 dB
2170 MHz	>65 dB
2400 MHz	>65 dB
2700 MHz	>65 dB
Noise Figure	<2.4 dB
Operating Voltage	3.3 – 5 Vdc
Current Consumption	<15mA

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



4



Series: ARMADILLO

Description: Vehicular Multiband Antenna with Adhesive Mount

PART NUMBER: ARMXXXXXAM

MECHANICAL SPECIFICATIONS

Overall Length
Weight
Antenna Color / Material
Connector type
Cable type
Cable length

202.3mm X 88.5mm X 45mm 1 Kg Black or White Refer to Page 2 Refer to Page 2 Refer to Page 2


ENVIRONMENTAL SPECIFICATIONS

Operating Temperature
Storage Temperature
Ingress Protection
RoHS Compliant

-40 ~ +85° C -40 ~ +85° C IP67 Yes

OTHER SPECIFICATIONS

Total cable assembly loss for 5.2m (17') LMR-195 @850MHz	2.1dB
Total cable assembly loss for 5.2m (17') LMR-100 @1575MHz	5.9dB
Total cable assembly loss for 5.2m (17') LMR-195 @1930MHz	3.2dB
Total cable assembly loss for 5.2m (17') LMR-195 @2450MHz	3.6dB
Total cable assembly loss for 5.2m (17') LMR-195 @2500MHz	3.7dB
Total cable assembly loss for 5.2m (17') LMR-195 @5350MHz	5.5dB



5




Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXAM

MECHANICAL DRAWING



Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

RóHS

6





Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO

PART NUMBER: ARMXXXXXAM

MECHANICAL DRAWING





ARM62311AM		CABLE	CABLE LENGTH	CONNECTOR
1	LTE-1 Cable Assy			OMA Mala
2	LTE-2 Cable Assy	LMR-195*		SMA Male
3	WiFi-1 Cable Assy		5181 mm /	
4	WiFi-2 Cable Assy	LMR-195*	204" /	RP-SMA Male
5	WiFi-3 Cable Assy		17 FT	
6	GPS Cable Assy	LMR-100*		SMA Male

* or equivalent

ARM21011AMTT		CABLE	CABLE LENGTH	CONNECTOR
1	LTE-1 Cable Assy	LMR-195*		TNC Male
2				
			5181 mm /	
			204" /	
			17 FT	
6	GPS Cable Assy	LMR-100*		TNC Male

* or equivalent



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



7




Series: ARMADILLO

Description: Vehicular Multiband Antenna with Adhesive Mount

PART NUMBER: ARMXXXXAM

TEST SETUP

Antenna tested on a Φ 500mm ground plane.



Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



8




Description: Vehicular Multiband Antenna with Adhesive Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXAM

<mark>CHARTS</mark> VSWR (LTE)



Isolation (LTE)



Note : Antenna tested with 5m cable on 500mm (dia) ground plane

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



9




Description: Vehicular Multiband Antenna with Adhesive Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXAM

CHARTS Radiation Efficiency (LTE)



Peak Gain (LTE)



Note : Antenna tested with 1ft(304.8mm) cable on 500mm (dia) ground plane

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with Adhesive Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXAM

CHARTS VSWR (WIFI)



Isolation (WIFI)



Note : Antenna tested with 5m cable on 500mm (dia) ground plane

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXAM

CHARTS





Peak Gain (WIFI)



Note : Antenna tested with 1ft(304.8mm) cable on 500mm (dia) ground plane

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



12




Description: Vehicular Multiband Antenna with Adhesive Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXAM

CHARTS



LTE1 XY plane radiation pattern



LTE2 XY plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



13




Description: Vehicular Multiband Antenna with Adhesive Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXAM

CHARTS



LTE1 ZX plane radiation pattern



LTE2 ZX plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



14




Description: Vehicular Multiband Antenna with Adhesive Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXAM

CHARTS



LTE1 YZ plane radiation pattern



LTE2 YZ plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



15




Description: Vehicular Multiband Antenna with Adhesive Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXAM

CHARTS



LTE1 XY plane radiation pattern



LTE2 XY plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



16




Description: Vehicular Multiband Antenna with Adhesive Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXAM

CHARTS



LTE1 ZX plane radiation pattern



LTE2 ZX plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



17




Description: Vehicular Multiband Antenna with Adhesive Mount


Series: ARMADILLO

PART NUMBER: ARMXXXXXAM

CHARTS



LTE1 YZ plane radiation pattern



LTE2 YZ plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



18




Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXAM

CHARTS



WiFi1 XY plane radiation pattern

WiFi2 XY plane radiation pattern



Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



19




Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXAM

CHARTS



WiFi1 ZX plane radiation pattern

WiFi2 ZX plane radiation pattern



WiFi3 ZX plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXAM

CHARTS



WiFi1 YZ plane radiation pattern

WiFi2 YZ plane radiation pattern



WiFi3 YZ plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



21




Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXAM

CHARTS



WiFi1 XY plane radiation pattern

WiFi2 XY plane radiation pattern



WiFi3 XY plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



22




Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXAM

CHARTS



WiFi1 ZX plane radiation pattern

WiFi2 ZX plane radiation pattern



WiFi3 ZX plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



23




Description: Vehicular Multiband Antenna with Adhesive Mount

Series: ARMADILLO


PART NUMBER: ARMXXXXXAM

CHARTS



WiFi1 YZ plane radiation pattern

WiFi2 YZ plane radiation pattern



WiFi3 YZ plane radiation pattern

Issue: 1901

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



24



Series: ARMADILLO

Description: Vehicular Multiband Antenna with Adhesive Mount

PART NUMBER: ARMXXXXAM

PACKAGING

Each antennas packed in Bubble Bag

- 6 bags of antennas (Total 6pcs) packed in a cardboard box
- 1 label on each box with quantity, part number, date code.

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



25

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse:

<u>ARM52211AM</u> <u>ARM52212AM</u> <u>ARM42111AM</u> <u>ARM42112AM</u> <u>ARM62311AM</u> <u>ARM62312AM</u> <u>ARM32012AM</u> ARM32011AM