



Patent Pending

Description: NMO, Tri Band 150-174/430-520/750-870MHz

PART NUMBER: NMO150/450/758

Features:Omnidirectional antennaTri Band Monopole:

VHF:150-174 MHz

UHF: 430-520 MHz

• 7/800: 750-870 MHz

· Flexible Spring, Impact Resistant

Connector NMO (Pogo contact)

IP67

RoHS Compliant

Applications:

Motorola APX-8500

Harris Unity mobile

"Recommended pairing: NMOKHFUDQMAI NMO cable with QMA Installed NMOKHFUDQMA NMO cable with Crimp QMA NMOMMRDSQMA NMO Mag mount assy w/ QMA."



Issue: 1909

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100

Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



TECHNICAL DATA SHEET

Description: NMO, Tri Band 150-174/430-

520/750-870MHz

PART NUMBER: NMO150/450/758

Series: Tri Band Whip

Patent Pending

ELECTRICAL SPECIFICATIONS

Antenna type Tri Band Monopole, Measured on

Ø52" (1.32m) Ground plane

Frequency 150-174/430-520/750-870 MHz

Nominal Impedance 50 Ω

VSWR VHF: 150-165 MHz <2:1

VHF: 165-174 MHz <2.5:1 UHF: 430-490 MHz <2:1 UHF: 490-520 MHz <2.5:1

7/800: 750-870 MHz <2:1

Gain 0/5/4 dBi

Efficiency 60/70/70 %

Radiation Pattern Omni
Polarization Vertical

Power withstanding 100 W

Connector type NMO (Pogo contact)

MECHANICAL SPECIFICATIONS

Color/Material Black / S.S Whip

Weight 205 g

Overall Length 452.5 mm

ENVIRONMENTAL SPECIFICATIONS

Operating temperature -40 ~ +85° C

RoHS Compliant Yes





Description: NMO, Tri Band 150-174/430-


520/750-870MHz

PART NUMBER: NMO150/450/758

Series: Tri Band Whip

Patent Pending

MECHANICAL DRAWING



All dimensions are in mm / inches

Issue: 1909

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION







Description: NMO, Tri Band 150-174/430-

520/750-870MHz

PART NUMBER: NMO150/450/758


Series: Tri Band Whip

Patent Pending

CHARTS

VSWR vs Frequency NMO150450758 Measured with 17ft cable on Ø52" GP

Measured at Pulse, USA - June 11, 2018











Description: NMO, Tri Band 150-174/430-

520/750-870MHz

PART NUMBER: NMO150/450/758

Series: Tri Band Whip


Patent Pending

Measured with 6" (152mm) cable

CHARTS


Peak Gain vs Frequency NMO150450758

Measured at Pulse, USA - June 11, 2018



—150-174 **—**430-520 **—**750-870

Efficiency vs Frequency NMO150450758



Issue: 1909






Patent Pending

160MHz

Measured with 6" (152mm) cable

Description: NMO, Tri Band 150-174/430-520/750-870MHz

PART NUMBER: NMO150/450/758



Measured with 6" (152mm) cable

160MHz

240 120 210 150 **-**160 Theta Angle (°) 180 Issue: 1909

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION








Patent Pending

(152mm) cable

Description: NMO, Tri Band 150-174/430-520/750-870MHz

PART NUMBER: NMO150/450/758

CHARTS



Issue: 1909

(152mm) cable

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

180

Theta Angle (°)






Patent Pending

Description: NMO, Tri Band 150-174/430-520/750-870MHz

PART NUMBER: NMO150/450/758

CHARTS



Issue: 1909

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



180



TECHNICAL DATA SHEET

Description: NMO, Tri Band 150-174/430-

520/750-870MHz

PART NUMBER: NMO150/450/758

Series: Tri Band Whip

Patent Pending

PACKAGING

Pack each Antenna and instruction in PE bag.



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Pulse:

NMO150/450/758