

	1	2	3		4		5		6		
	A108373-001 Sheet. No. 1/2			1		1			記号x数	変更	内容 REVIS
	1/ 2								<u>∕</u> ® x		
									<u>∕</u>		
A									<u>A</u> ×		
		L1 😽				+0. 20			Ах		
 B			1.80			$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				1 2. 30 ±0. 60	<u>L5 mi</u>
	2 0.30										5.90 ± 0.60 3.60 ± 0.60
С											
			0.70								Ļ
									_,	4.50 0)センタ-
D								<u>C • FPC(</u> 記 事 Note 1. 本製品(はアダプ		
E								2. FPC 貼作 The FPC	すけ後の厚 C stickir	享み寸法に ng and it	t kicks a
				3	ロック金具右	1 SUS, t0.20		±0.03 3. 名称構	on the p 成	pad side	
				2	ロック金具左	1 SUS, t0.20		Compos	ition of		
				1 部品番号	<u>モールド</u> 部品名 個	<u>1 PA9T</u> 数 材質・寸度	<u>黒色</u> 記事	HF509P- 4. 包装仕			芯数(n) P
				市前留ち ITEM	DESCRIPTION QI		記争 CONTENT				n による。 hod R1083
			_ 芯数(n) L1	L2	L3 L4	L5	図番				
			10 13		5.80 4.50		8373-001				
F								Toleran		()Refere 承認 APP.)8/03/18 08,	wise specif ence value. 食図 製匠 OHK. 08/03 生藤 高月
	1	2	3		4		5		6		





Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Yamaichi Electronics: HF509P-10-011 HF509P-10-03SH-C01