



RECOMMENDED SINGLE SIDE MOUNTING BEZEL DESIGN



RECOMMENDED DOUBLE SIDE MOUNTING BEZEL DESIGN

UNITS:		
■	MM	□ INCH
GENERAL TOLERANCES: UNLESS SPECIFIED		
	MM	INCH
4 PLACE	±0,1	±0,004
3 PLACE	±0,2	±0,008
2 PLACE	±0,3	±0,012
1 PLACE	±0,5	±0,020
ANGULAR	X° ± 2°	X° ± 1°

SCALE 2/1						YAMAICHI ELECTRONICS USA INC.		
DIMENSION mm						CLASS QSFP Cage Assembly		
ANGLE PROJ 3rd						TITLE CNU120A-10-xx-20		
APP.	APP.	CHK.	DRW.	DSGN.	TITLE	DRW No.	Sheet No.	REV.
K. Abe	K. Abe	K. Abe	Shimizu	Shimizu	YEU-A1928	2/4	A	

1 2 3 4 5 6 7 8

A


B

C


D

E

F



RECOMMENDED DOUBLE SIDE PC BOARD LAYOUT



DETAIL Z
2:1

UNITS:		
■ MM □ INCH		
GENERAL TOLERANCES: UNLESS SPECIFIED		
	MM	INCH
4 PLACE	±0.05	±0.002
3 PLACE	±0.1	±0.005
2 PLACE	±0.2	±0.01
1 PLACE	±0.3	±0.02
ANGULAR	X°±2°	X°±1°



YAMAICHI ELECTRONICS
USA INC.

CLASS QSFP Cage Assembly

TITLE CNU120A-10-xx-20

DRW No. YEU-A1928

Sheet No. 4/4

REV. A

SCALE 3/1	APP.	APP.	CHK.	DRW.	DSGN.	TITLE	Sheet No.	REV.
DIMENSION mm								
ANGLE PROJ 3rd								
	K. Abe	K. Abe	Q. Shimizu	Q. Shimizu				

1

2

3

4

5

6

7

8

A3-001

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Yamaichi Electronics:](#)

[CNU120A-10-30-20](#) [CNU120A-10-40-20](#) [CNU120A-10-20-20](#) [CNU120A-10-10-20](#)