



Product: <u>8407</u> ☑

Microphone Cable, Star Quad, 4 C #16 Str TC, Rayon & 85% TC Braid, Cotton Serve, CPE Jkt

Product Description

Microphone Cable, Star Quad, 4 Conductor 16 AWG (65 x 34) Tinned Copper (High conductivity), EPDM Insulation, Rayon® Braid, 85% Tinned Copper Braid Shield, Cotton Serve, CPE Jacket

Technical Specifications

Product Overview								
Suitable Applications: Low frequency microphone or musical instruments; Balanced analog audio; Low Noise for high-EMI environments								
Constructi	Construction Details							
Conductor								
Element	No. of Elements	Size Stra	anding	Material				
Conductor(s)	4 1	6 AWG 65x	(34 TC -	- Tinned Copper (Hig	h Conductivity)			
Insulation								
Element	М	aterial		Nom. Thickness	Nom. Insulation Diameter	Color Code		
Conductor(s)	EPDM - Ethylene Pr	ropylene Dier	ne Monomer	0.031 in (0.79 mm)	0.12 in (3.0 mm)	Black, White, Red, Green		
Outer Shield								
Shield Type	Material	Coverage						
Braid	Rayon®	20%						
Braid	Tinned Copper (TC)	85%						
Outer Jacket								
Separator	Material		Nom. Thick	ness Nom. Diam	eter			

Overall Cable Diameter (Nominal): 0.416 in (10.6 mm)	Cotton Serve CPE	- Chlorinated Polyethylene 0.043 in (1.1 mm) 0.416 in (10.6 mm)
		0.416 in (10.6 mm)

Electrical Characteristics

Electricals

Element	Nom. Conductor DCR	Nom. Capacitance Cond-to-Cond	Nom. Characteristic Impedence	Nom. Velocity of Prop.	Max. Current
Conductor(s)	4 Ohm/1000ft	30 pF/ft (98 pF/m)	44 Ohm	52%	5.6 Amps per conductor at 25°C

Voltage

Voltage Rating 600 V

Mechanical Characteristics

Temperature

Operating -30°C to +60°C

Bend Radius

Stationary Min. Installation Min.

4.1 in (100 mm) 4.1 in (100 mm)

Max. Pull Tension:	162 lbs (73.5 kg)
Bulk Cable Weight:	111 lbs/1000ft

Standards and Compliance

Environmental Suitability:	Indoor (Not Riser or Plenum), Indoor
Flammability / Reaction to Fire:	VW-1
European Directive Compliance:	EU CE Mark, EU Directive 2015/863/EU (RoHS 2 amendment), EU Directive 2011/65/EU (RoHS 2), EU Directive 2012/19/EU (WEEE)
APAC Compliance:	China RoHS II (GB/T 26572-2011)

Product Notes

Notes:	Quad connection scheme: The black and red wires (or wires directly opposite one another) are connected together to form one conductor, and similarly the white and green wires (or remaining wires) are connected together to form the second conductor.
History	

Update and Revision:	Revision Number: 0.509 Revision Date: 02-03-2025

Part Numbers

Variants

Item #	Color	Putup Type	Length	UPC	Footnote
8407 010100	Black	Reel	100 ft	612825206262	
8407 010250	Black	Reel	250 ft	612825206279	С

© 2025 Belden, Inc

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or guality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulators based on their individual usage of the product.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Belden Wire & Cable:

8407 010100 8407 010250