

Product: <u>M4-Power</u> ☑



M4-Power chassis for up to three power wupplies M4-P-xx for power supply redundancy

Product Description

M4-Power chassis for up to three power wupplies M4-P-xx for power supply redundancy

Technical Specifications

Product description

	M4-Power chassis for up to three power wupplies M4-P-xx for power supply redundance
Part Number:	943874001
Availability:	Last Order Date: March 31, 2023
Power requirements	
Operating Voltage:	48 V DC
Ambient conditions	
Storage/transport temperature:	-20-+80 °C
Relative humidity (non-condensing):	10-95 %
Mechanical construction	
Dimensions (WxHxD):	480 mm x 88 mm x 435 mm
Weight:	1.54 kg
Mounting:	Plug-in device
Mounting: Approvals Safety of industrial control equipment:	CUL 508
Approvals	cUL 508
Approvals Safety of industrial control equipment:	cUL 508
Approvals Safety of industrial control equipment: Safety of information technology equipment: Shipbuilding:	cUL 508 cUL 60950-1 Germanischer Lloyd
Approvals Safety of industrial control equipment: Safety of information technology equipment:	cUL 508 cUL 60950-1 Germanischer Lloyd
Approvals Safety of industrial control equipment: Safety of information technology equipment: Shipbuilding: Scope of delivery and accessori Scope of delivery:	cUL 508 cUL 60950-1 Germanischer Lloyd es
Approvals Safety of industrial control equipment: Safety of information technology equipment: Shipbuilding: Scope of delivery and accessori Scope of delivery:	cUL 508 cUL 60950-1 Germanischer Lloyd es
Approvals Safety of industrial control equipment: Safety of information technology equipment: Shipbuilding: Scope of delivery and accessori Scope of delivery: Further Instructions	cUL 508 cUL 60950-1 Germanischer Lloyd eS device, manual
Approvals Safety of industrial control equipment: Safety of information technology equipment: Shipbuilding: Scope of delivery and accessori Scope of delivery: Further Instructions Product Documentation:	cUL 508 cUL 60950-1 Germanischer Lloyd es device, manual
Approvals Safety of industrial control equipment: Safety of information technology equipment: Shipbuilding: Scope of delivery and accessori Scope of delivery: Further Instructions Product Documentation: Certificates:	cUL 508 cUL 60950-1 Germanischer Lloyd es device, manual

All Rights Reserved.

Although Belden makes every reasonable effort to ensure their accuracy at the time of this publication, information and specifications described here in are subject to error or omission and to change without notice, and the listing of such information and specifications does not ensure product availability.

Belden provides the information and specifications herein on an "ASIS" basis, with no representations or warranties, whether express, statutory or implied. In no event will Belden be liable for any damages (including consequential, indirect, incidental, special, punitive, or exemplary damages) whatsoever, even if Belden has been advised of the possibility of such damages, whether in an action under contract, negligence or any other theory, arising out of or in connection with the use, or inability to use, the information or specifications described herein.

All sales of Belden products are subject to Belden's standard terms and conditions of sale.

Belden believes this product to be in compliance with all applicable environmental programs as listed in the data sheet. The information provided is correct to the best of Belden's knowledge, information and belief at the date of its publication. This information is designed only as a general guide for the safe handling, storage, and any other operation of the product itself or the one that it becomes a part of. The Product Disclosure is not to be considered a warranty or quality specification. Regulatory information is for guidance purposes only. Product users are responsible for determining the applicability of legislation and regulations based on their individual usage of the product.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Hirschmann: M4-POWER