
7	
<u> </u>	
Ν.	
1	
\	
C	
—'	
$\frac{1}{1} - 0$	
0.0 - 1.1	
1.1 - 000	



NOTES:

MATERIALS:

- 1. INSULATORS = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
 2. LOCKWASHER = PHOSPHOR BRONZE PER ASTM B139, COPPER ALLOY C53400, TEMPER H04.
 3. ALL OTHER METAL PARTS = BRASS PER ASTM B16, ALLOY C36000, TEMPER H02.

FINISHES:

- 1. CONTACTS = GOLD PLATE PER ASTM B488-11, TYPE II, 50µin MIN, GRADE C, OVER 100 TO 200µin STRESS FREE SULFAMATE NICKEL PER AMS-QQ-N-290.

 2. ALL OTHER METAL PARTS = NICKEL PLATE PER AMS-QQ-N-290, CLASS 1, GRADE G, EXCEPT 100 TO 200µin THICK OVER 50 TO 100µin THICK COPPER PER AMS 2418.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		D.N. CHKD:	DATE 03/06/18 DATE		(Property of Radio his document cannot be repro communicated to a third party written permission of RADIALL.	duced or	
DECIMAL ANGLE		C.E.	03/06/18	SMB RIGHT ANGLE MALE JACK				
		J.M.	DATE 03/06/18		BULKHEAD FRONT MOUNT SOLDER POT CONTACT			
REFERENCE: ORIGINATED: D.N.		MATERIALS & FINISHES: SEE NOTES		SIZE A	FSCM NO. 19505	DWG NO. 2012-751	1-000	REV A
DATE: 03/06/18				SCALE 5:1		THIRD ANGLE PROJECTION	SHEET 1 O	F 1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Radiall:

2012-7511-000