




PROPRIETARY INFORMATION
NOT TO BE RELEASED
WITHOUT WRITTEN PERMISSION
FROM AN AUTHORIZED
REPRESENTATIVE OF
APPLIED ENGINEERING PRODUCTS




NOTES:

MATERIALS:

1. INSULATOR = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
2. ALL OTHER METAL PARTS = BRASS PER ASTM B16, ALLOY C36000, TEMPER H02.

FINISHES:

1. CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.
2. ALL OTHER METAL PARTS = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 0, GRADE C, OVER .00010 TO .00020 COPPER STRIKE PER MIL-C-14550.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON		DWN:	DATE	 APPLIED ENGINEERING PRODUCTS 104 John W. Murphy Dr. New Haven, CT 06513	
		D.N.	02/06/07		
DECIMAL		CHKD:	DATE	RIGHT ANGLE TERMINATION P.C.B. MOUNT SOLDER/CLAMP TYPE FOR .085 SEMI-RIGID & SIMILAR CABLES	
		A.D.M.	02/06/07		
		APVD:	DATE	SIZE A FSCM NO. 19505 DWG NO. 8045-1541-010 REV A	
		J.M.	02/06/07		
REFERENCE:		MATERIALS & FINISHES:		SCALE 5:1 THIRD ANGLE PROJECTION	
ORIGINATED: D.N. DATE: 02/06/07		SEE NOTES		SHEET 1 OF 1	

8045-1541-010

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Radial:

[8045-1541-010](#)