

This document contains proprietary information and such information shall not be disclosed to any third party for any purpose whatsoever or used for manufacturing purposes without prior written agreement from RADIAL. This information is given as an indication. In the continual goal to improve our products, we reserve the right to make any modifications judged necessary.

4112_9311



TECHNICAL DATA SHEET


QMAWN **

Series
QMA

QMA plug connector
integrated strain relief with grounding block
for rail mounting

Issue:
Apr. 10, 2018

Page
1/2




MATERIAL AND FINISHES :

- PLUG SHELL : High grade thermoplastic, Nickel plated.
- SLIDE LOCK : High grade thermoplastic.
- INSERT RETENTION CLIP : Beryllium copper alloy.
- CODING KEYS : High grade thermoplastic.
- DUST CAP : Thermoplastic.
- GROUNDING BLOCK : High grade thermoplastic.
- INTERMEDIATE PLATE : Brass alloy, electrolytic nickel.
- GROUNDING CONTACT RETENTION CLIP : Beryllium copper alloy.
- GROUNDING CLIP : Beryllium copper alloy, gold over electrolytic nickel.

NOTA :

- Please refer to MIIN1700000 for unlocking instructions.
- Contacts 617221050 have to be ordered separately.

DIMENSIONS : mm (inch are given for information only)



Estimated weight : 30 g


CREATION				
PEN:				
NOM: WEIHS H.				
DATE: Mar. 19, 2018				
APPR.: PAILOT N.	Apr. 10, 18	Updated title and mounting instruction number	Legendre T.	Lopez C.
	Issue	Revisions	Name	Approved

Radiall S.A. is licensed by Boeing Intellectual Property Licensing Company, a subsidiary of The Boeing Company, to utilize certain Boeing patented technologies in this product


QMAWNEN

RADIAL PROPRIETARY INFORMATION


RADIALL P/ N	KEY 1	KEY 2
QMAWN	uninstalled	
QMAWN 00	without keys	
QMAWN AA	A	A
QMAWN AB	A	B
QMAWN AC	A	C
QMAWN AD	A	D
QMAWN BA	B	A
QMAWN BB	B	B
QMAWN BC	B	C
QMAWN BD	B	D
QMAWN CA	C	A
QMAWN CB	C	B
QMAWN CC	C	C
QMAWN CD	C	D
QMAWN DA	D	A
QMAWN DB	D	B
QMAWN DC	D	C
QMAWN DD	D	D



QUICK LOCK PLUG SHELL POLARIZATION



EXAMPLE : QMAWN BD shown.



Each polarizing key has four polarizing positions (A,B,C and D). The polarizing code corresponds to the combination of 2 letters which can be read directly on lower side of the connector.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Radial:

QMAWN