





IKI RECOMENDED BOARD LAYOUT

1.020 [25.91] .900 [22.86] .050 [1.27] 19 .025 [0.64] 000000000000000000 .250 [6.35] 0000000000000000000000p .050[1.27] .032 [0.81] $\emptyset.053^{+.003}_{-.000} \left[1.35^{+0.08}_{-0.00} \right]$ - R.010[0.25] SQ (TYP)

RECOMMENDED STENCIL LAYOUT STENCIL TO BE .0060[0.152] THICK

PROPRIETARY NOTE THIS DOCUMENT CONTAINS INFORMATION CONFIDENTIAL AND PROPRIETARY TO SAMTEC, INC. AND SHALL NOT BE REPRODUCED OR TRANSFERRED TO OTHER DOCUMENTS OR DISCLOSED TO OTHERS OR USED FOR ANY PURPOSE OTHER THAN THAT WHICH IT WAS OBTAINED WITHOUT THE EXPRESSED WRITTEN CONSENT OF SAMTEC, INC. SHEET SCALE: 3:1



PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail: info@SAMTEC.com

VITA 42 (LEAD FREE) SOCKET ASSEMBLY

ASP-105884-05

BY: WHITTAKER 4/8/2003

SHEET 2 OF 2

F:\DWG\MISC\MKTG\ASP-105884-05-MKT.SLDDRW

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Samtec:

ASP-105884-05