

Features

- RoHS compliant*
- 2/4 isolated resistors in an 0404/0804 size package
- E24 series from 10 ohms to 1 megohm
- Convex termination style
- Resistance tolerance ±5 %
- Suitable for all types of soldering processes

■ Paper tape on reel for automatic placement

Model CAY10 - Chip Resistor Array

Electrical Characteristics

Characteristics	CAY10-xxxJ2	CAY10-xxxJ4	
Number of Elements (Isolated)	2	4	
Power Rating @ 70 °C per Resistor	0.0625 W	0.0625 W	
Package Power Rating @ 70 °C	0.125 W	0.250 W	
Resistance Tolerance	±5 %		
Resistance Range (E24) plus Zero-ohm Jumper	3 ohms - 1 megohm		
T.C.R.	3 ohms ~ 9.1 ohms: ±500 ppm/°C 10 ohms ~ 1 megohm: ±200 ppm/°C		
Max. Overload Voltage	50 V		
Max. Working Voltage	25 V		
Operating Temp. Range	-55 °C to +125 °C		
Rating Temperature	+70 °C		
Packaging	10,000 pieces per reel		

Performance Characteristics

Requirement	Characteristics	Test Method
Short Time Overload	±2 %	Rated Voltage X 2.5, 5 seconds
Soldering Heat	±1 %	260 °C ±5 °C, 10 seconds ±1 second
Temperature Cycling (5)	±1 %	125 °C (30 minutes) - normal (15 minutes) -30 °C (30 minutes) - normal (15 minutes)
Moisture Load Life	±3 %	1000 hours
Load Life	±3 %	1000 hours

Environmental Characteristics

Moisture Sensitivity Level	1
ESD Classification (HRM)	NI/A

Isolated Circu	uit			
CAY10-xxxJ2		4 O R R	3 WR 0 2	
CAY10-xxxJ4	8 O WR	7 WR 0 2	6 	5 O WR O 4

Additional Information

Click these links for more information:











PRODUCT

TECHNICA LIBRARY

TORY SAI

CONTAC

low To Orde

now to Order			
CA Y 10 - 103 .	J 4	ł L	_F
Chip Arrays —			
Type —	ΙI		
• Y = Convex			
Model —			
• 10 = 04 Package Width			
• <10 ohms: "R" represents decimal point (example: 4R7 = 4.7 ohms).			
 ≥10 ohms: First two digits are signifi- cant, third digit represents number of zeros to follow (example: 474 = 470k ohms 			
 000 = Zero-ohm .lumper 	ΙI		

Resistance Tolerance —

• J = ±5 %

Resistors -

• 2 = 2 Resistors • 4 = 4 Resistors

Terminations —

• LF = Tin-plated (RoHS compliant)

For Standard Values Used in Capacitors, Inductors, and Resistors, <u>click here</u>.



WARNING Cancer and Reproductive Harm - www.P65Warnings.ca.gov

Model CAY10 - Chip Resistor Array

BOURNS

Typical Part Marking

CAY10-xxxJ2


No part marking.



CAY10-xxxJ4

±5 % (E24)

3 digits; first two digits are significant, third digit is the number of zeroes to follow.







±1 % (E96)

4 digits; first three digits are significant, fourth digit is the number of zeroes to follow


Example: $4701 = 4700 \Omega = 4.7K \Omega$



Derating Curve




Construction




Product Dimensions

CAY10-xxxJ4




CAY10-xxxJ2




Land Pattern

CAY10-xxxJ4



CAY10-xxxJ2




Specifications are subject to change without notice.

Users should verify actual device performance in their specific applications.


Model CAY10 - Chip Resistor Array


BOURNS

Soldering Profile for RoHS Compliant Chip Resistors and Arrays



Packaging Dimensions





MM DIMENSIONS: (INCHES)

Legal Disclaimer Notice



This legal disclaimer applies to purchasers and users of Bourns® products manufactured by or on behalf of Bourns, Inc. and its affiliates (collectively, "Bourns").

Unless otherwise expressly indicated in writing, Bourns® products and data sheets relating thereto are subject to change without notice. Users should check for and obtain the latest relevant information and verify that such information is current and complete before placing orders for Bourns® products.

The characteristics and parameters of a Bourns® product set forth in its data sheet are based on laboratory conditions, and statements regarding the suitability of products for certain types of applications are based on Bourns' knowledge of typical requirements in generic applications. The characteristics and parameters of a Bourns® product in a user application may vary from the data sheet characteristics and parameters due to (i) the combination of the Bourns® product with other components in the user's application, or (ii) the environment of the user application itself. The characteristics and parameters of a Bourns® product also can and do vary in different applications and actual performance may vary over time. Users should always verify the actual performance of the Bourns® product in their specific devices and applications, and make their own independent judgments regarding the amount of additional test margin to design into their device or application to compensate for differences between laboratory and real world conditions.

Unless Bourns has explicitly designated an individual Bourns® product as meeting the requirements of a particular industry standard (e.g., ISO/TS 16949) or a particular qualification (e.g., UL listed or recognized), Bourns is not responsible for any failure of an individual Bourns® product to meet the requirements of such industry standard or particular qualification. Users of Bourns® products are responsible for ensuring compliance with safety-related requirements and standards applicable to their devices or applications.

Bourns® products are not recommended, authorized or intended for use in nuclear, lifesaving, life-critical or life-sustaining applications, nor in any other applications where failure or malfunction may result in personal injury, death, or severe property or environmental damage. Unless expressly and specifically approved in writing by two authorized Bourns representatives on a case-by-case basis, use of any Bourns® products in such unauthorized applications might not be safe and thus is at the user's sole risk. Life-critical applications include devices identified by the U.S. Food and Drug Administration as Class III devices and generally equivalent classifications outside of the United States.

Bourns expressly identifies those Bourns® standard products that are suitable for use in automotive applications on such products' data sheets in the section entitled "Applications." Unless expressly and specifically approved in writing by two authorized Bourns representatives on a case-by-case basis, use of any other Bourns® standard products in an automotive application might not be safe and thus is not recommended, authorized or intended and is at the user's sole risk. If Bourns expressly identifies a sub-category of automotive application in the data sheet for its standard products (such as infotainment or lighting), such identification means that Bourns has reviewed its standard product and has determined that if such Bourns® standard product is considered for potential use in automotive applications, it should only be used in such sub-category of automotive applications. Any reference to Bourns® standard product in the data sheet as compliant with the AEC-Q standard or "automotive grade" does not by itself mean that Bourns has approved such product for use in an automotive application.

Bourns® standard products are not tested to comply with United States Federal Aviation Administration standards generally or any other generally equivalent governmental organization standard applicable to products designed or manufactured for use in aircraft or space applications. Bourns expressly identifies Bourns® standard products that are suitable for use in aircraft or space applications on such products' data sheets in the section entitled "Applications." Unless expressly and specifically approved in writing by two authorized Bourns representatives on a case-by-case basis, use of any other Bourns® standard product in an aircraft or space application might not be safe and thus is not recommended, authorized or intended and is at the user's sole risk.

The use and level of testing applicable to Bourns® custom products shall be negotiated on a case-by-case basis by Bourns and the user for which such Bourns® custom products are specially designed. Absent a written agreement between Bourns and the user regarding the use and level of such testing, the above provisions applicable to Bourns® standard products shall also apply to such Bourns® custom products.

Users shall not sell, transfer, export or re-export any Bourns® products or technology for use in activities which involve the design, development, production, use or stockpiling of nuclear, chemical or biological weapons or missiles, nor shall they use Bourns® products or technology in any facility which engages in activities relating to such devices. The foregoing restrictions apply to all uses and applications that violate national or international prohibitions, including embargos or international regulations. Further, Bourns® products and Bourns technology and technical data may not under any circumstance be exported or re-exported to countries subject to international sanctions or embargoes. Bourns® products may not, without prior authorization from Bourns and/or the U.S. Government, be resold, transferred, or re-exported to any party not eligible to receive U.S. commodities, software, and technical data.

To the maximum extent permitted by applicable law, Bourns disclaims (i) any and all liability for special, punitive, consequential, incidental or indirect damages or lost revenues or lost profits, and (ii) any and all implied warranties, including implied warranties of fitness for particular purpose, non-infringement and merchantability.

For your convenience, copies of this Legal Disclaimer Notice with German, Spanish, Japanese, Traditional Chinese and Simplified Chinese bilingual versions are available at:

Web Page: http://www.bourns.com/legal/disclaimers-terms-and-policies

PDF: http://www.bourns.com/docs/Legal/disclaimer.pdf

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Bourns:

CAY10-220J4LF CAY10-330J4LF CAY10-75RJ4LF CAY10-5R1J2LF CAY10-750J2LF CAY10-3R0J2LF CAY10-785J4LF CAY10-3R0J4LF CAY10-153J2LF CAY10-200J4LF CAY10-240J2LF CAY10-330J2LF CAY10-334J4LF CAY10-360J4LF CAY10-391J4LF CAY10-392J4LF CAY10-432J4LF CAY10-511J2LF CAY10-514J4LF CAY10-562J4LF CAY10-683J4LF CAY10-821J4LF CAY10-000J4LF CAY10-100J4LF CAY10-220J2LF CAY10-180J2LF CAY10-5R1J4LF CAY10-000J2LF CAY10-133J4LF CAY10-201J4LF CAY10-100J2LF CAY10-101J2LF CAY10-105J4LF CAY10-154J2LF CAY10-154J4LF CAY10-161J4LF CAY10-203J4LF CAY10-300J2LF CAY10-300J4LF CAY10-362J4LF CAY10-390J2LF CAY10-393J4LF CAY10-510J4LF CAY10-242J4LF CAY10-393J2LF CAY10-620J4LF CAY10-150J2LF CAY10-564J4LF CAY10-152J2LF CAY10-272J2LF CAY10-131J2LF CAY10-564J4LF CAY10-152J2LF CAY10-272J2LF CAY10-131J2LF