

UBH SWH 1/4 EC 6.3

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com





The Weidmüller bits are standard bits which are highly popular with users thanks to their good quality, large range and efficiency. The computer-controlled hardening method enables Weidmüller to guarantee a consistently high standard of quality.

The high-quality raw materials used make it possible to reach torques far higher than any of those specified in the relevant DIN standards:

- DIN 5261 for PH/PZ bits,
- DIN 5263 for slotted bits,
- Camcar standard for TORX bits

That means a long life at high torques and hence ideal conditions for standard situations.

The benefits:

- Suitable for all types of screws. Because of their excellent hardness values of 59-61 HRC, they are suitable for use with both manual and power tools.
- Good wearing resistance and thus a long life expectancy.
- Optimum fit in all DIN screws means low wear and optimum torque transmission.
- Manufactured to meet professional quality criteria according to relevant ISO standards with a consistently high standard of quality.

General ordering data



UBH SWH 1/4 EC 6.3

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Technical data

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

Dimensions and weights

Width 60 mm Width (inches) www.weidmue Re 2.63 minch
Net weight 20 g

Technical data

Description of article

Universal quick-change holder, 1/4" E6.3 drive for

1/4" bits

Classifications

ETIM 6.0 EC002118 ETIM 7.0 EC002118 ETIM 8.0 EC002118 ECLASS 9.0 21-04-92-90 ECLASS 9.1 21-01-90-90 ECLASS 10.0 21-04-92-90 ECLASS 11.0 21-04-90-90 ECLASS 12.0 21-04-90-90

Approvals

ROHS Conform

Downloads

Catalogues <u>Catalogues in PDF-format</u>

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

<u>Weidmuller</u>: 2749110000