

DMSI MANUELL 0,5-1,7**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Version	Torque screwdriver
Order No.	9918390000
Type	DMSI MANUELL 0,5-1,7
GTIN (EAN)	4032248388356
Qty.	1 pc(s).

DMSI MANUELL 0,5-1,7**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Technical data****Dimensions and weights**

Width	200 mm	Width (inches)	7.874 inch
Weight	190 g	Net weight	425 g

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Technical data

Description of article	VDE-insulated torque screwdriver, 0.5-1.7 Nm
------------------------	--

Screwing tools

Torque setting, max.	1.7 Nm	Torque setting, min.	0.5 Nm
----------------------	--------	----------------------	--------

Classifications

ETIM 6.0	EC000149	ETIM 7.0	EC000149
ETIM 8.0	EC000149	ECLASS 9.0	21-04-04-07
ECLASS 9.1	21-04-04-90	ECLASS 10.0	21-04-50-03
ECLASS 11.0	21-04-50-03		

Approvals

Approvals

**Downloads**

Approval/Certificate/Document of Conformity	Manufacturer's Declaration - Slim Bits
Product Change Notification	Produktänderungsmitteilung Product Change Notification
Catalogues	Catalogues in PDF-format
Brochures	


DMSI MANUELL 0,5-1,7

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Example of use



DMSI MANUELL 0,5-1,7

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

... Robertson



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB I VK 2	Version	Packaging
Order No.	2506040000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520576		
Qty.	1 pc(s).		
Type	WB I VK 1	Version	Packaging
Order No.	2506030000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520538		
Qty.	1 pc(s).		

DMSI MANUELL 0,5-1,7**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Accessories****Bit holder**

If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WK I SLIM BIT	Version		Packaging	
Order No.	2489300000	Bit holder		miscellaneous	
GTIN (EAN)	4050118499353				
Qty.	1 pc(s).				

DMSI MANUELL 0,5-1,7

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

... Torx



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB I T20	Version
Order No.	2506020000	Screwdriver insert
GTIN (EAN)	4050118520569	
Qty.	1 pc(s).	
Type	WB I T15	Version
Order No.	2506010000	Screwdriver insert
GTIN (EAN)	4050118520545	
Qty.	1 pc(s).	
Type	WB I T10	Version
Order No.	2506000000	Screwdriver insert
GTIN (EAN)	4050118520590	
Qty.	1 pc(s).	

DMSI MANUELL 0,5-1,7

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

... hexagonal / Allen key



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB I SK 2.5	Version	Packaging
Order No.	2506050000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520583		
Qty.	1 pc(s).		
Type	WB I SK 3	Version	Packaging
Order No.	2506060000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520552		
Qty.	1 pc(s).		
Type	WB I SK 4	Version	Packaging
Order No.	2506070000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520521		
Qty.	1 pc(s).		
Type	WB I SK 5	Version	Packaging
Order No.	2506080000	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520514		
Qty.	1 pc(s).		

DMSI MANUELL 0,5-1,7

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

... Pozidriv crosshead



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB IK SL PZ1	Version
Order No.	2433230000	Screwdriver insert
GTIN (EAN)	4050118443806	
Qty.	1 pc(s).	
Type	WB IK SL PZ2	Version
Order No.	2433240000	Screwdriver insert
GTIN (EAN)	4050118443684	
Qty.	1 pc(s).	

DMSI MANUELL 0,5-1,7

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

... slotted-head screws



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB SI SL 0.5X3.0	Version
Order No.	2433170000	Screwdriver insert
GTIN (EAN)	4050118443622	
Qty.	1 pc(s).	
Type	WB SI SL 0.6X3.5	Version
Order No.	2433180000	Screwdriver insert
GTIN (EAN)	4050118443677	
Qty.	1 pc(s).	
Type	WB SI SL 1.0X5.5	Version
Order No.	2433200000	Screwdriver insert
GTIN (EAN)	4050118443660	
Qty.	1 pc(s).	
Type	WB SI SL 0.8X4.0	Version
Order No.	2433190000	Screwdriver insert
GTIN (EAN)	4050118443646	
Qty.	1 pc(s).	
Type	WB SI SL 0.4X2.5	Version
Order No.	2433160000	Screwdriver insert
GTIN (EAN)	4050118443639	
Qty.	1 pc(s).	

DMSI MANUELL 0,5-1,7

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Accessories

... Phillips crosshead



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

General ordering data

Type	WB IK SL PH1	Version
Order No.	2433210000	Screwdriver insert
GTIN (EAN)	4050118443653	
Qty.	1 pc(s).	
Type	WB IK SL PH2	Version
Order No.	2433220000	Screwdriver insert
GTIN (EAN)	4050118443691	
Qty.	1 pc(s).	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Weidmuller:](#)

[9918390000](#)