



KIT-BB400+ZW

A BB400 Solderless Plug-in BreadBoard
with ZW-MM-10 ZipWire Male-to-Male
unzippable wires




BB400 Features:

- 400 tie points total: 300 tie-point IC-circuit area plus two 50 tie-point distribution strips providing 4 power rails.
- ABS plastic body with black printed legend. Color legend on distribution strips.
- Contacts are Phosphor Bronze with Plated Nickel Finish, rated for 50,000 insertions.
- Rated at 36 Volts, 2 Amps.
- Insertion Wire Size is 21 to 26 AWG, 0.016 to 0.028 inches diameter (0.4 to 0.7mm diameter)
- Peelable adhesive tape backing provided for attaching to a surface.

ZW-MM-10 Features:

- Multi-color ribbons of 40 wires with male-male connectors in 10cm lengths.
- Ideal for use with solderless breadboards (such as BB400).
- Rainbow colored ribbon cable provides the 10 standard electrical colors to color-code your connections.
- 28AWG ribbon cable can be unzipped to remove individual wires. Wires can be unzipped in groups to organize signals, or as individual wires.
- Contacts use tinned beryllium-copper in black plastic housings. PVC insulated ribbon cable.



BB400 Details:

BB400 is a solderless (plug-in) breadboard with 400 connection tie-points (i.e. 400 wire insertion holes). It has 4 power rails. Solderless breadboards are great for building and testing new circuits because parts can be easily inserted and removed. They are completely re-usable.

The BB400 has a 300 tie-point IC-circuit area plus four 25 tie-point power rails. The housing is made of white ABS plastic, with a printed legend giving numbers and letters for columns and rows. The internal contacts are phosphor bronze with a plated nickel finish.


A peelable adhesive tape backing is provided for attaching it to a surface.

ZW-MM-10 Details:

ZipWire™ provides a convenient way to connect the signals in your projects. The wires can be unzipped for individual wires as needed. The color-coding can be used to organize power, ground and other signal types to keep your circuit organized. The rainbow colored ribbon cable provides the 10 standard electrical colors. Each ZipWire ribbon provides 40 wires, four of each color.

The 10cm wires work great for signals within a solderless breadboard (such as the BB400 and BB830). When connecting to a group of signals (such as UART or SPI signals), a group of attached ZipWires can be used to keep the signals together to better manage your wiring. Male pins can be used with solderless breadboards or 0.1" pitch sockets.

Related Products:



BB400™ Solderless Plug-in BreadBoard



ZW-MM-10 ZipWire™ Male-to-Male



BB400 + SB404 BreadBoard Pack



SB404™ Solderable PCB BreadBoard

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[BusBoard Prototype Systems:](#)

[KIT-BB400+ZW](#)