# **BGA Heat Sink - High Performance** maxiFLOW w/Thermal Tape





ATS Part#: ATS-52190P-C1-R0

Description: 19.00 x 19.00 x 17.50 mm BGA Heat Sink - High Performance maxiFLOW w/Thermal

Tape

Heat Sink Type: maxiFLOW
Heat Sink Attachment: Thermal Tape

Equivalent Part Number: ATS-52190P-C2-R0

\*Image above is for illustration purpose only.

#### **Features & Benefits**

- maxiFLOW™ design features a low profile, spread fin array that maximizes surface area for more effective convection (air) cooling
- · Fabricated from extruded aluminum, which minimizes thermal resistance from the base to the fins, reduces weight and keeps costs low
- · Higher performance helps ensure reliable product life at a lower cost than other extruded heat sinks

#### **Thermal Performance**

AIR VELOCITY		@200 LFM 1.0 M/S	@300 LFM 1.5 M/S	@400 LFM 2.0 M/S	@500 LFM 2.5 M/S	@600 LFM 3.0 M/S	@700 LFM 3.5 M/S	@800 LFM 4.0 M/S
THERMAL RESISTANCE	Unducted Flow	7.7 °C/W	6.3 °C/W	5.6 °C/W	5 °C/W	4.6 °C/W	4.3 °C/W	4 °C/W
	Ducted Flow	6.4	N/A	N/A	N/A	N/A	N/A	N/A

### **Product Detail**

Schematic Image Dimension A		Dimension B	Dimension C	Dimension D	TIM	Finish			
	19.00 mm	19.00 mm	17.50 mm	34.74 mm	T412	BLUE-ANODIZED			
B A	<ul> <li>Notes:</li> <li>Dimension A and B refer to component size.</li> <li>Dimension C is the heat sink height from the bottom of the base to the top of the fin field.</li> <li>ATS-52190P-C2-R0 is the exact heat sink assembly with an equivalent thermal interface material (Saint-Gobain C675).</li> <li>Thermal performance data are provided for reference only. Actual performance may vary by application.</li> <li>ATS reserves the right to update or change its products without notice to improve the design or performance.</li> <li>ATS certifies that this heat sink assembly is RoHS-6 and REACH compliant.</li> <li>Contact ATS to learn about custom options available.</li> </ul>								
*Image above is for illustration purpose only.									





## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Advanced Thermal Solutions:

ATS-52190P-C1-R0