BGA Heat Sink (High Aspect Ratio Ext.) Custom Pin Fin



ATS Part#: **ATS017017007-PF-5F**

Description: 17.00 x 17.00 x 7.00 mm BGA Heat Sink (High Aspect Ratio Ext.) Custom Pin Fin



Heat Sink Type: Custom Pin Fin

Heat Sink Attachment: N/A
Equivalent Part Number: N/A

*Image above is for illustration purpose only.

Features & Benefits

- · High efficiency pin fin design provides low pressure drop characteristics
- · Large surface area increases heat sink performance
- · Fabricated from extruded aluminum, which minimizes thermal resistance from the base to the fins, reduces weight and keeps costs low
- · Comes standard without interface material or with most common pressure sensitive thermal tapes as a custom option

Thermal Performance

AIR VELOCITY		@200 LFM 1.0 M/S	@300 LFM 1.5 M/S	@400 LFM 2.0 M/S	@500 LFM 2.5 M/S	@600 LFM 3.0 M/S	@700 LFM 3.5 M/S	@800 LFM 4.0 M/S
THERMAL RESISTANCE	Unducted Flow	24.66 °C/W	19.9 °C/W	17.2 °C/W	15.5 °C/W	14.2 °C/W	13.2 °C/W	12.4 °C/W
	Ducted Flow	15	12.7	11.2	10.2	9.4	8.8	8.3

Product Detail

Schematic Image	Dimension A	Dimension B	Dimension C	Dimension D	TIM	Finish
plra	17.00 mm	17.00 mm	7.00 mm	17 mm	N/A	BLACK-ANODIZED
*Image above is for illustration purpose only.	Dimension Dimension Thermal papplication ATS reserved performar ATS certification	n D is fin tip to fin tip performance data are n. rves the right to update.	neight from the botto e provided for refere ate or change its pro	m of the base to the nce only. Actual performance only actual performance of the complex of the base o	ormanc to impr	e may vary by





Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Advanced Thermal Solutions:

ATS017017007-PF-5F