


REV	DATE	ECO#
A	02/17/03	24669
B	09/09/04	26969

DRAWING NOT TO SCALE  
ALL DIMENSIONS IN INCHES

CAD# = 2DC102J



#### SPECIFICATIONS:

RESISTANCE AT 25 DEG C = 1 K OHMS +/- 5 %  
TEMPERATURE COEFFICIENT = -4.4%/DEG C (CURVE C)  
BETA (25 DEG C/75 DEG C) = 3965 DEG K NOMINAL AT 25 DEG C  
DISSIPATION CONSTANT = 7 mW/DEG C NOMINAL  
TIME CONSTANT = 25 SECONDS NOMINAL (IN STILL AIR)  
OPERATING TEMPERATURE RANGE = -60 DEG C TO +150 DEG C  
LEADS = RTIE P/N STL-209-05

DRAWN BY S. TAPIA		<div>AMETHERM</div> <div>Circuit Protection Thermistors</div>
DATE 02/17/03	ORIG. S. TAPIA	
REV B	APPR.	
SHEET 1 OF 1		
		NTC THERMISTOR
		2DC102J

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Ametherm:](#)

[2DC102J](#)