




Distanzstück
distance

Ausrichtstreifen
alignment strip



Bestückungsplan / Contact layout




■ = bestückt / assemble

Lochbild für Leiterplatte
(Bestückungsseite)

Board hole pattern
(Component mounting side)

alle Löcher
all holes



- 1) $\varnothing 0.6 \pm 0.05$ Durchmesser des metallisierten Loches
- $\varnothing 0.6 \pm 0.05$ Diameter of finished plated-through hole
- $\varnothing 0.7 \pm 0.02$ Bohrungsdurchmesser des Loches
- $\varnothing 0.7 \pm 0.02$ Diameter of drilled hole

Schichtaufbau im metallisierten Loch siehe Zeichnung 114406
Metal plating of plating-through hole see drawing 114406

Fehlende Maße und Angaben nach IEC 61076-4-101
Missing information and dimensions per 61076-4-101

<p>Information: Distanzstück H=3.1 / distance H=3.1 Abschirmbleche Reihe z+f montiert shieldings row z+f mounted</p> <p>All rights reserved. Only for Information. To ensure that this is the latest version of this drawing, please contact one of the ERNI companies before using.</p>	Tolerances	 All Dimensions in mm	Scale 2:1
	<p>Subject to modification without prior notice. Drawing will not be updated.</p>	Designation ERmet-FS Federleiste B <i>ERmet-Female Straight Type B</i>	
<p>www.ERNI.com</p>	<p>114020</p>		<p>1 A3</p>
<p>c 05.12.2014</p>	<p>Date</p>	<p>Class</p>	<p>ERMB</p>

Copyright by ERNI Production GmbH & Co. KG
Proprietary notice pursuant to ISO 16016 to be observed.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[ERNI Electronics:](#)

[114020](#)