



Delta Electronics Corp.

APPROVAL SHEET

Customer Name : _____

Model Name : _____ HEATSINK

Model Name : _____ DHS-B9292-05

Customer Part No : _____

Spec Issue Date : _____ 2012 / 05 / 23

Spec Revision : _____ 00

PLEASE SEND ONE COPY OF THIS SPECIFICATION BACK AFTER YOU
SIGNED APPROVAL FOR PRODUCTION PRE-ARRANGMENT.

Approved By: _____

Date: _____

Approval	Check	Designer
Alex-Hsia	Charles Chen	HIKARU.CHEN



Delta Electronics Corp.

REV.	Description	Drawn	Checked	Approved	Issue Date
00	ISSUE SPEC	HIKARU.CHEN 05/23'12	Charles. Chen 05/23'12	Alex-Hsia 05/24'12	
Description:					
SAMPLE REVISION CODE LIST					
Part No.					REV
DELTA MODEL : DHS-B9292-05		TOTAL 11 PAGE			00



Delta Electronics Corp.

CONTENTS

Item	Element Description	Page	Note
1	Specification	4	
2	Print	5	
3	Packing Plan	9	



Delta Electronics Corp.

1. SPECIFICATION

Characters

Item	Description
Scope	THIS SPECIFICATION DEFINES THE ELECTRICAL AND MECHANICAL CHARACTERISTICS OF THE FAN HEATSINK
Application	INTEL LGA2011 CPU HEATSINK
Specification	
a: Thermal Resistance	0.175 (°C/W) (REF.)
b: total weight	460 g (REF.)
c: clip force	29.5 Kgf (REF.)

BOM


Item	Part Name	Material	Part NO.	Q'TY	Remark
1	FIN	AL 1050	3346397100	1PCE	
2	CU BASE	CU 1100	3346397300	1PCE	
3	AL BASE	ADC-12	3346799900	1PCE	
4	PIPE	CU 1100	3460094500	1PCE	
5	PIPE	CU 1100	3460094600	1PCE	
6	PIPE	CU 1100	3460094700	1PCE	
7	PIPE	CU 1100	3460094800	1PCE	
9	SCREW	SUS 304	3105359900	4PCE	
10	SPRING	ASTM A228	3462028800	4PCE	
11	E CLIP	SK7	3110264700	4PCE	
12	SPACER	POM	3244747000	4PCE	
13	GREASE	TC-1996	4021101500	0.308 g	
14	TRAY	PET	3503595000	0.125PCE	
15	TRAY	PET	3503595100	0.125PCE	
16	PAD PAPER	PAPER	3510131600	0.167PCE	
17	CARTON	PAPER	3510979900	0.042PCE	



Delta Electronics Corp.

2. PRINT

Assembly Drawing



台達電子工業股份有限公司
DELTA ELECTRONICS, INC.

DELTA MODEL:
DHS-B9292-05

Drawn:
HIKARU.CHEN

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS, INC. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.

CUSTOMER NAME: STD

CUSTOMER P/N: — — —

DIMENSIONAL TOLERANCES

HOLES : ± 0.05 ANGLES : $\pm 0.5^\circ$

()	()	()	()
<30	± 0.25	DECIMALS	UP-100 ± 0.2
>30~100	± 0.35	X ± 0.3	100~150 ± 0.25
>100~300	± 0.5	X.X ± 0.2	150~200 ± 0.3
ABOVE 300	± 0.6	X.XX ± 0.1	200~250 ± 0.35
			250~300 ± 0.4
			300~350 ± 0.45
			350~400 ± 0.5
			400~600 ± 1.5
			600~900 ± 2.4
			900-OVER ± 3.1



Description: PRODUCTION SPEC.
(ASSEMBLY ORDER)

A4
SIZE





Part No. DHS-B9292-05-AS

REV.

00

SCALE 1:1 UNIT mm USED ON COOLER

SHEET 1 OF 1 ISSUE DATE:



Dow Corning TC-1996 P/N : 4021101500

*STENCIL THICKNESS=0.20(TYP.) 0.22(MAX.)
TIM WEIGHT ON HSK MUST BE 250mg±30mg



台達電子工業股份有限公司
DELTA ELECTRONICS, INC.

DELTA MODEL:
DHS-B9292-05

Drawn:
HIKARU.CHEN

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS, INC. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.

CUSTOMER NAME: STD

CUSTOMER P/N: — — — — —

DIMENSIONAL TOLERANCES

HOLES : ±0.05 ANGLES : ±0.5°

()	()	()	()
<30	±0.25	DECIMALS	UP~100 ±0.2
>30~100	±0.35	X ±0.3	100~150 ±0.25
>100~300	±0.5	X.X ±0.2	150~200 ±0.3
ABOVE 300	±0.6	X.XX ±0.1	200~250 ±0.35
			250~300 ±0.4
			300~350 ±0.45
			350~400 ±0.5
			400~600 ±1.5
			600~900 ±2.4
			900~OVER ±3.1



Description: PRODUCTION SPEC.
(PHYSICAL DIMENSION)

A4
SIZE


Part No. DHS-B9292-05-PD

REV.


SHEET 1 OF 1 ISSUE DATE:

00

SCALE 1 / 1 UNIT mm USED ON COOLER



DATECODE



NOTE :

1. DATECODE ON FIN.
2. DATECODE TYPE : LABEL.
3. BLANK DATECODE LABEL P/N : 3265081000.
4. PLEASE REFER TO CP10S-00345 WHILE PRINTING DATECODE.



台達電子工業股份有限公司
DELTA ELECTRONICS, INC.

DELTA MODEL:
DHS-B9292-05

Drawn:
HIKARU.CHEN

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS, INC. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.

CUSTOMER NAME: STD

CUSTOMER P/N: — — — — —

DIMENSIONAL TOLERANCES

HOLES : ± 0.05 ANGLES : $\pm 0.5^\circ$

()	()	()	()
<30	± 0.25	DECIMALS	UP~100 ± 0.2
>30~100	± 0.35	X	100~150 ± 0.25
>100~300	± 0.5	X.X	150~200 ± 0.3
ABOVE 300	± 0.6	X.XX	200~250 ± 0.35
			250~300 ± 0.4
			300~350 ± 0.45
			350~400 ± 0.5
			600~900 ± 2.4
			900~OVER ± 3.1



Description: PRODUCTION SPEC.
(PHYSICAL DIMENSION)

A4
SIZE

Part No. DHS-B9292-05-PD

REV.

00

SHEET 1 OF 1 ISSUE DATE:


SCALE 1 / 1 UNIT mm USED ON COOLER



Delta Electronics Corp.

3. PACKING PLAN

Packing Specification

PART NO.	DHS-B9292-05																		
BASIC DATA	QUANTITY/CARTON		24 PCS																
	PRODUCTION NET WEIGHT		11.1 Kg (REF)																
	PRODUCTION GROSS WEIGHT		13.2 Kg (REF)																
20(ft)CONTAINER ILLUSTRATE	SIZE	5.889(L)*2.352(w)*2.386(H)m		PACKING QUANTITY	20 PALLETS/CONTAINER														
	CONTAINER	STEEL																	
CONTAINER FORM CONTAINER LOADING MATHOD																			
<table border="1"> <tr> <td>PALLET</td> <td>PALLET</td> <td>PALLET</td> <td>PALLET</td> <td>PALLET</td> </tr> <tr> <td>PALLET</td> <td>PALLET</td> <td>PALLET</td> <td>PALLET</td> <td>PALLET</td> </tr> </table> TOP VIEW				PALLET	PALLET	PALLET	PALLET	PALLET	PALLET	PALLET	PALLET	PALLET	PALLET	<table border="1"> <tr> <td>PALLET</td> <td>PALLET</td> </tr> <tr> <td>PALLET</td> <td>PALLET</td> </tr> </table> FRONT VIEW		PALLET	PALLET	PALLET	PALLET
PALLET	PALLET	PALLET	PALLET	PALLET															
PALLET	PALLET	PALLET	PALLET	PALLET															
PALLET	PALLET																		
PALLET	PALLET																		
PALLET LOADING ILLUSTRATE	SIZE	120(L)*100(w)*13.5(H)cm		PACKING QUANTITY	40 CARTONS/PALLET														
	PALLET	WOOD																	
PALLET ILLUSTRATE PALLET LOADING METHOD 																			



台達電子工業股份有限公司
DELTA ELECTRONICS, INC.

DELTA MODEL:
DHS-B9292-05

Drawn:
HIKARU.CHEN

THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS, INC. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.


CUSTOMER NAME: STD

CUSTOMER P/N: — — —

DIMENSIONAL TOLERANCES

HOLES : ±0.05 ANGLES : ±0.5°

()	()	()	()
<30	±0.25	DECIMALS	UP~100 ±0.2
>30~100	±0.35	X ±0.3	100~150 ±0.25
>100~300	±0.5	X.X ±0.2	150~200 ±0.3
ABOVE 300	±0.6	X.XX ±0.1	200~250 ±0.35
			250~300 ±0.4
			300~350 ±0.45
			350~400 ±0.5
			400~600 ±1.5
			600~900 ±2.4
			900~OVER ±3.1



Description: PRODUCTION SPEC.
(PACKING ASSEMBLY)

A4
SIZE

Part No. DHS-B9292-05-PA

REV.


00

SHEET 1 OF 2 ISSUE DATE:


SCALE 1:1 UNIT mm USED ON COOLER

CARTON ILLUSTRATE	SIZE	498(L)*298(w)*144(H)(mm)	PACKING QUANTITY	3 LAYERS/CARTON
	MATERIAL	4 LAYERS"AB" FLUTE	CARTON WEIGHT	0.7 kg (REF.)

CARTON OUTSIDE DEMONSTRATE



PET TRAY PACKING ILLUSTRATE	SIZE	490(L)*290(w)*50(H)(mm)	PACKING QUANTITY	8 PCS/TRAY
	MATERIAL	PET TRAY	MATERIAL WEIGHT	120g (REF.)



台達電子工業股份有限公司 DELTA ELECTRONICS, INC.										DELTA MODEL: DHS-B9292-05				Drawn: HIKARU.CHEN																							
THESE DRAWINGS AND SPECIFICATIONS ARE THE PROPERTY OF DELTA ELECTRONICS, INC. AND SHALL NOT BE REPRODUCED OR USED AS THE BASIS FOR THE MANUFACTURE OR SELL OF APPARATUSES OR DEVICES WITHOUT PERMISSION.										CUSTOMER NAME: STD																											
										CUSTOMER P/N: — — —																											
DIMENSIONAL TOLERANCES HOLES : ±0.05 ANGLES : ±0.5 <table><tr><td>()</td><td>()</td><td>()</td><td>()</td></tr><tr><td><30</td><td>±0.25</td><td>DECIMALS</td><td>UP~100 ±0.2</td></tr><tr><td>>30~100</td><td>±0.35</td><td>X</td><td>100~150 ±0.25</td></tr><tr><td>>100~300</td><td>±0.5</td><td>X.X</td><td>150~200 ±0.3</td></tr><tr><td>ABOVE 300</td><td>±0.6</td><td>X.XX</td><td>200~250 ±0.35</td></tr></table>										()	()	()	()	<30	±0.25	DECIMALS	UP~100 ±0.2	>30~100	±0.35	X	100~150 ±0.25	>100~300	±0.5	X.X	150~200 ±0.3	ABOVE 300	±0.6	X.XX	200~250 ±0.35	 THIRD ANGLE PROJECTION		Description: PRODUCTION SPEC. (PACKING ASSEMBLY)					
										()	()	()	()																								
<30	±0.25	DECIMALS	UP~100 ±0.2																																		
>30~100	±0.35	X	100~150 ±0.25																																		
>100~300	±0.5	X.X	150~200 ±0.3																																		
ABOVE 300	±0.6	X.XX	200~250 ±0.35																																		
SCALE1:1UNITmmUSED ONCOOLER										A4 SIZE		Part No. DHS-B9292-05-PA				REV. 00																					
												SHEET 2 OF 2		ISSUE DATE:																							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Delta Electronics:](#)

[DHS-B9292-05A](#)