







8		7		6		5		4		3		2		1			
CINCH PART NUMBER MATRIX														DRAWING REVISIONS			
<div><div><div><div><div><div>P/N: 581 01 30 041</div><div>ENCLOSURE WITH TWO HEAT SINKS</div><div></div></div></div><div><div><div>P/N: 581 01 30 042</div><div>ENCLOSURE WITH ONE HEAT SINK</div><div></div></div></div><div><div><div>P/N: 581 01 30 043</div><div>ENCLOSURE WITHOUT HEAT SINKS</div><div></div></div></div></div></div><div><div><div>P/N: 581 01 30 057</div><div>ENCLOSURE WITH TWO HEAT SINKS & MEMBRANE VENT</div><div></div></div></div><div><div><div>P/N: 581 01 30 058</div><div>ENCLOSURE WITH ONE HEAT SINK & MEMBRANE VENT</div><div></div></div></div><div><div><div>P/N: 581 01 30 059</div><div>ENCLOSURE WITHOUT HEAT SINKS & MEMBRANE VENT</div><div></div></div></div></div> <div><div>NOTE:</div><div><div>1. ALL DIMENSIONS ARE IN INCHES; DIMENSIONS IN [.XX] ARE IN mm AS REF. ONLY.</div><div>2. MATERIALS:<div>ENCLOSURE: 30 % GLASS FILLED POLYMER, COLOR BLACK;</div><div>PERIPHERAL SEAL: SILICONE RUBBER, COLOR BLUE.</div><div>HEAT SINK: ANODIZED ALUMINUM ALLOY.</div></div><div>3. HEADERS ARE SOLD SEPARATELY (CONSULT FACTORY FOR P/N); FOR PCB SIZE AND REQUIREMENTS REFER TO HEADER DRAWINGS.</div><div>4. STANDARD PACKAGE SIZE: 21 PARTS / CARTON BOX.</div></div></div> <div><div><div>UNITS</div><div>ENGLISH</div><div>DO NOT SCALE DRAWING</div><div>UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES</div><div>FILLET/RADII .02 MAX</div><div>TOLERANCES AND LIMITS APPLY OVER ADDITIVE FINISH</div><div>THIS DOCUMENT IS THE PROPERTY OF CINCH. NEITHER THIS DOCUMENT NOR ANY OF THE INFORMATION CONTAINED IN IT MAY BE DUPLICATED OR DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF CINCH.</div></div><div><div>PRO/E</div><div>DRAWN BY B. KOSTIC</div><div>DESIGN ENGINEER B. KOSTIC</div><div>DESIGN ENGINEERING MGR. A. CAINES</div><div>MFG. ENGINEERING R. GARZA</div><div>QUALITY ASSURANCE R. QUIROZ</div><div>DATE 09/14/04</div><div>DATE 09/14/04</div><div>DATE 10/15/04</div><div>DATE 10/28/04</div><div>DATE 10/28/04</div></div><div><div>Cinch</div><div>ENCLOSURE ASSEMBLY MODICE SE</div><div>MATERIAL SEE NOTE 2.</div><div>MATERIAL SPEC NUMBER</div><div>CAD FILE NUMBER 5810130041S.ICE30</div><div>CAGE IDENT NO. 71785</div><div>SIZE B</div><div>SCALE 3:10</div><div>PROJECT NUMBER A 14562</div><div>SHEET 1 OF 2</div></div><div><div>MODELED BY: B.K.</div><div>1700 FINLEY RD LOMBARD, IL. 60148</div></div></div>																	

D

C

B



A

D

C

B

A





MOUNTING BRACKET LAY-OUT

MOUNTING HOLES. HOLE SIZING AND / OR TAPPING AS NECESSARY FOR CUSTOMER MOUNTING HARDWARE

Ø.005 [.12] A

FASTENERS SHOULD BE TIGHTENED BY HAND AT EACH LOCATION, APPLYING EQUAL PRESSURE AGAINST MOUNTING SURFACE IN ALL LOCATIONS, THEN TORQUE TO 10-12 IN. LB. [1.13-1.36 Nm] FOLLOWING THE PATTERN SHOWN.

TORQUE PATTERN: 1, 2, 3, 4



CINCH P/N: 581 01 30 041 SHOWN

UNITS	ENGLISH		<div>Cinch</div>		1700 FINLEY RD. LOMBARD, IL. 60148	
	DO NOT SCALE DRAWING					
UNLESS OTHERWISE SPECIFIED: ALL DIMENSIONS ARE IN INCHES			TITLE			
FILLET/RADII .02 MAX			ENCLOSURE ASSEMBLY MODICE SE			
TOLERANCES AND LIMITS APPLY OVER ADDITIVE FINISH			PRO/E DRAWING			
THIS DOCUMENT IS THE PROPERTY OF CINCH. NEITHER THIS DOCUMENT NOR ANY OF THE INFORMATION CONTAINED IN IT MAY BE DUPLICATED OR DISCLOSED WITHOUT PRIOR WRITTEN CONSENT OF CINCH.			CAD FILE NUMBER		REV	
			5810130041S_ICE30		D	
			CAGE IDENT NO. SIZE		SCALE	
			71785 B			
			1:2		SHEET 2 OF 2	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Cinch Connectivity Solutions:

[581-01-30-043](#) [581-01-30-041](#) [581-01-30-042](#)