



PART NUMBER	ITEM ① NUT	ITEM ② BODY
29-4105	BRASS NICKEL PLATED	BRASS NICKEL PLATED

受控 CONTROLLED DOCUMENT					
编号 P/N	29-4105	版本 Rev	0B	日期 Rel'd Date	Mar 24,08

DRAWING NO. 29-4105					
REVISIONS					
RELEASE FOR QUTATION					
A	01-20-06	W	W	T	
ADD NOTES 4 & 5					
B	12-26-06	Z	L	T	
Thomas Choy 0807-01-04— 14:17:04 - 08'W					




NOTES:

1. ELECTRICAL SPECIFICATIONS
TNC IMPEDANCE: 50 OHM
MINI-UHF IMPEDANCE:NON-CONSTANT
WORKING VOLTAGE:500 VOLTS RMS AT SEA LEVEL
DIELECTRIC WITHSTANDING VOLTAGE:1500 VOLTS RMS AT SEA LEVEL
INSULATION RESISTANCE: 5000 MEGOHMS MIN
2. ENVIRONMENTAL SPECIFICATIONS
TEMPERATURE RANGE: -55 °C TO +85°C
3. MECHANICAL CHARACTERISTICS:
DURABILITY: 500 CYCLES
4. PRODUCT SHOULD BE RoHS COMPLIANCE.
5. PACKAGING REQUIREMENT FOLLOWS ENGINEERING DOCUMENT P/N 836-40200001XX

TOLERANCE UNLESS OTHERWISE SPECIFIED		DRAWN BY GARY.ZHG	DATE 12-26-06
DECIMALS	mm	CHECKED BY LINDA.WU	DATE 12-26-06
X	± 0.5	APPROVED BY THOMAS	DATE 12-26-06
X.X	± 0.2		
X.XX	± 0.1		
ANGLES	± 0.5°	U/M	mm

THIS DRAWING WAS PRODUCED BY COMPUTER,
DO NOT SCALE DRAWING OR UPDATE MANUALLY.

 EMERSON. Network Power		Connectivity Solutions	
TITLE			
MINI UHF TO TNC MALE			
SHEET 1 OF 1	DRAWING NO. 29-4105		SIZE C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Cinch Connectivity Solutions:](#)

[29-4105](#)