

PART NUMBER	ITEM ① INTERFACE INSERT	ITEM ② BASE	ITEM ③ CONTACT	ITEM 4 INSULATOR
125-0701-821	BERYLLIUM COPPER GOLD PL .00005 MIN OVER NICKEL PL .00005 MIN	BRASS GOLD PL .00001 MIN OVER NICKEL PL .00005 MIN	BERYLLIUM COPPER GOLD PL .00005 MIN OVER NICKEL PL .00005 MIN	TEFLON


REV	ECO	DATE	
1	INITIAL RELEASE	130C T 2020	
2	EC-2102004	03FEB2021	






NOTES:

- 1. ELECTRICAL SPECIFICATIONS:
 - 1.1 IMPEDANCE: 50 OHMS
 - 1.2 FREQUENCY RANGE: DC-65 GHz
 - 1.3 VSWR: 1.35 MAX DC TO 40 GHz
 - 1.50 MAX 40 GHz TO 65 GHz
 - 1.4 WORKING VOLTAGE: 325 VRMS MAX AT SEA LEVEL
- 1.5 DIELECTRIC WITHSTANDING VOLTAGE: 325 VRMS MIN AT SEA LEVEL
 1.6 INSULATION RESISTANCE: 5000 MEGOHM MIN
- 1.7 CONTACT RESISTANCE:
- 1.7.1 CENTER CONTACT INTIAL 6.0 MILLIOHM MAX, AFTER
 - ENVIRONMENTAL NOT APPLICABLE
- 1.7.2 OUTER CONDUCTOR INITIAL 2.0 MILLIOHM MAX, AFTER ENVIRONMENTAL NOT APPLICABLE
- 1.8 INSERTION LOSS: 0.1 √F (GHz) dB MAX
- 2. MECHANICAL SPECIFICATIONS:
- 2.1 ENGAGEMENT FORCE: 4.5 LBS MAX
 2.2 DISENGAGEMENT FORCE: 6.5 LBS MIN
- 2.3 DURABILITY: 100 CYCLES MIN
- 3. ENVIRONMENTAL:
- 3.1 OPERATING TEMPERATURE: -65 °C TO 165 °C
- 3.2 THERMAL SHOCK: MIL-STD-202, METHOD 107, CONDITION B, EXCEPT 165°C HIGH TEMP
- 3.3 MECHANICAL SHOCK: MIL-STD-202, METHOD 213, CONDITION I
- 3.4 CORROSION: MIL-STD-202, METHOD 101, CONDITION B
- 3.5 VIBRATION: MIL-STD-202, METHOD 204, CONDITION D
 3.6 MOISTURE RESISTANCE: MIL-STD-202, METHOD 106, EXCEPT STEP 7B OMITTED





	CINCH	125-070	1-821/830	JOHNSON	
property Solution in natur and iss understa traced permissi	This PROPRIETARY Document is properly of Cinch Connectivity Solutions. It is confidential in nature, non-transferable, and issued with the clear understanding that it is not	(EU)/2015/863 COMPLIANT UNLESS OTHERWISE SPECIFIED	Cage Code 3RD_ANGLE PROJECTION	Title: SMPM MALE FULL DETENT 2-PORT PCB EDGE LAUNCH Drawing No.	REV.
	Iraced or copied wilhout permission and is returnable upon demand.	.XX ± .01 .XXX ± .003	Drawn by: TOMMY REN	125-0701-821/830	2
	INTERPRET DRAWING IN ACCORDANCE WITH ASME Y14.5-2009.	.XXXX ± .0010 ANGLE ± 2°	Date: 10/13/2020	B DO NOT SCALE Workmanship Std:Sheet 1 OF	1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Cinch Connectivity Solutions: 125-0701-821