


DASH NUMBER	CABLES ACCOMMODATED	A DIM	B DIA	C HEX	STRAIN RELIEF $\triangle 3$	SEALING SLEEVE $\triangle 3$	ASSEMBLE PER
-201	M17/176-00002	1.164	.349	.255	NONE	1.25	TAI-143
-202	TWC-78-1						
-203	TWC-124-1A						
-204	10602, RAYCHEM						
-205	TWAC-78-1F2						
-206	7826D0130, RAYCHEM	1.289	.452	.344	1.0	NONE	TAI-167
-207	83310 BELDEN						
-208	202-3927 MICRODOT						
-209	202-3942 MICRODOT						
-210	8451 BELDEN						
-211	202-3934 MICRODOT	1.164	.349	.255	NONE	1.25	TAI-143
-212	2524E0114, RAYCHEM						
-213	TWC-78-2						
-214	TWC-124-2						
-215	BL-982 TIMES						
-216	BL-1242 TIMES	1.289	.452	.344	1.75	NONE	TAI-144
-217	GC875TM24H, GRUMMAN						
-218	EPD 221888, RAYCHEM						
-219	252601114, RAYCHEM						
-220	GC875RRI, GRUMMAN						
-221	10614, RAYCHEM	1.164	.349	.255	NONE	1.25	TAI-143
-222	10613, RAYCHEM						
-223	HMS2-1149, HUGHES						
-224	TWCP-124-3						
-225	PS668PL, PRIME STOCK						

DATA CONTAINED IN THIS DOCUMENT IS PROPRIETARY TO TROMPETER ELECTRONICS, INC. AND SHALL NOT BE DISCLOSED, COPIED OR USED FOR PROCUREMENT OR MANUFACTURE WITHOUT EXPRESS WRITTEN PERMISSION.


REVISIONS

REV	DESCRIPTIONS	DATE	APPROVED
M	REVISED PER ECO 16707	8-4-08	Okamoto



DASH NUMBER	CABLES ACCOMMODATED	A DIM	B DIA	C HEX	STRAIN RELIEF $\triangle 3$	SEALING SLEEVE $\triangle 3$	ASSEMBLE PER
-301	M17/176-00002	1.164	.349	.255	NONE	1.25	TAI-157
-302	GC875GB1, GRUMMAN						
-303	5022E5111, RAYCHEM						
-304	TWC-124-1A						
-305	10602, RAYCHEM						
-306	M17/177-00001	1.289	.452	.344	1.75	NONE	TAI-173
-307	295-3804 MICRODOT						
-308	TRC-50-2						
-309	M17/134-00002						
-310	TRC-75-1						
-311	202-3927 MICRODOT	1.164	.349	.255	NONE	1.25	TAI-157
-312	202-3942 MICRODOT						



SCALE 1/1



RECOMENDED
HEX CRIMP
SCALE: NONE



RED INDICATES ORIGINAL



1 LENGTH OF SHRINKABLE STRAIN RELIEF AND/OR SHRINKABLE SEALING SLEEVE SUPPLIED LOOSE AS SHOWN IN TABLE

2. 4-LUG SUBMINIATURE CONCENTRIC TWINAX (4 PIECE ASSEMBLY) AND TRIAX (6 PIECE ASSEMBLY), FULL CRIMP CABLE PLUG

1. TFS-1A

4. EXAMPLE OF COMPLETE MODEL NUMBER:
CJ150ACFL - 201

BASIC MODEL NUMBER

CABLE GROUP
DASH NUMBER

INTERPRET DRAWING PER MIL-STD-100. DIMENSIONS ARE IN INCHES AND INCLUDE FINISH THICKNESS UNLESS OTHERWISE SPECIFIED.

TOL: UNLESS SPECIFIED.
.XX \pm .02
.XXX \pm .010
ANGLE \pm 1°

TROMPETER
® ELECTRONICS, INC.

DRN M JOHNSON 7-18-08
CHK JM 7-25-08
QUANTITY
MANUF
APPROVED JM 7/31/08

MATERIAL:
FINISH:

TITLE:
CJ150ACFL
SIZE A
CAGE CODE 14949
DRAWING NO. 3-0227
REV. M

NOTES: UNLESS OTHERWISE SPECIFIED.

NEXT ASSY

PROJ FILE NO. 3-0227

DO NOT SCALE DWG

SCALE 3/1

DATE 5-31-85

SHEET 1C

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Cinch Connectivity Solutions:](#)

[CJ150ACFL-201](#)