


N Male Plug to BNC Male Plug

Model Number**ADT-2613-NM-BNM-02****SPECIFICATIONS****Frequency:** DC - 8.0 GHz**VSWR:** 1.15 @ DC-4.0 GHz

1.25 @ 4.0-8.0 GHz

Impedance: 50 Ohms**Finish:** Type N - Passivated Stainless Steel

BNC - Nickel Plated Brass




N Male Plug to BNC Female Jack

Model Number**ADT-2614-NM-BNF-02****SPECIFICATIONS****Frequency:** DC - 8.0 GHz**VSWR:** 1.15 @ DC-4.0 GHz

1.25 @ 4.0-8.0 GHz

Impedance: 50 Ohms**Finish:** Type N - Passivated Stainless Steel

BNC - Nickel Plated Brass




N Female Jack to BNC Male Plug

Model Number**ADT-2615-NF-BNM-02****SPECIFICATIONS****Frequency:** DC - 8.0 GHz**VSWR:** 1.15 @ DC-4.0 GHz

1.25 @ 4.0-8.0 GHz

Impedance: 50 Ohms**Finish:** Type N - Passivated Stainless Steel

BNC - Nickel Plated Brass




N Female Jack to BNC Female Jack

Model Number**ADT-2616-NF-BNF-02****SPECIFICATIONS****Frequency:** DC - 8.0 GHz**VSWR:** 1.15 @ DC-4.0 GHz

1.25 @ 4.0-8.0 GHz

Impedance: 50 Ohms**Finish:** Type N - Passivated Stainless Steel

BNC - Nickel Plated Brass



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Cinch Connectivity Solutions:](#)

[ADT-2616-NF-BNF-02](#)