


Specification Sheet

Part Number: 170-80350



Dispenser carton protects sleeving from dirt and keeps it from unraveling.

High 3:1 expansion ratio allows for wide range of bundle sizes.

Helagaine Braided Sleeving, Dispenser Pack, 1" Dia, 3:1 Shrink Ratio, PET, BK, 32.8ft/Reel

Article Number	170-80350
Type	HLB35
Color	Black (BK)
Quantity Per	pack
Product Description	Helagaine dispenser packs designed for convenience and easy dispensing during in field-service applications.
Short Description	Helagaine Braided Sleeving, Dispenser Pack, 1" Dia, 3:1 Shrink Ratio, PET, BK, 32.8ft/Reel
Global Part Name	HLB35-PET-BK

Length L (Imperial)	32.8
Length L (Metric)	10.0
Bundle Diameter Min (Imperial)	0.71
Bundle Diameter Min (Metric)	18
Bundle Diameter Max (Imperial)	2.13
Bundle Diameter Max (Metric)	54
Diameter D (Imperial)	1.38
Diameter D (Metric)	35
Nominal Diameter (Imperial)	1.38
Nominal Diameter (Metric)	35

Material	Polyester (PET)
Material Shortcut	PET
Flammability	UL 94 V-2
Halogen Free	Yes
UV Resistant (Yes/No)	No

Operating Temperature	-58°F to +302°F (-50°C to +150°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	32.8
Package Quantity (Metric)	10
Customs Number	5808100000

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[HellermannTyton:](#)

[170-80350](#)