


Specification Sheet

Part Number: TSR1W-33



Fittings incorporate a minimum 1" bend radius per ANSI/TIA-568-C and 569-A standards.

Rubber-based, foam-tape adhesive with high ultimate bond strength conforms to any surface.

Flexible hinge allows the raceway to endure numerous openings without creating discoloration or stress cracking



Internal Corner Cover, 3/4", 1" Bend Radius, PVC, White, 1/bg

Article Number 250-01336

Type TSR1-33

Color White (WH)

Quantity Per bag

Product Description HellermannTyton's low voltage raceway (TSR) is a one piece,

non-metallic, adhesive backed, latching raceway designed to

aesthetically organize and route communications wires, including high speed UTP cable and fiber optic cable, from the telecom room to the

work area.

Short Description Internal Corner Cover, 3/4", 1" Bend Radius, PVC, White, 1/bg

	_	
Global	Dort	Nama
Giobai	ган	manne

TSR1-33-PVC-WH

Width W (Imperial)

0.75

Material

Polyvinylchloride (PVC)

Material Shortcut

PVC

Flammability

UL 94 V-0

Halogen Free

No

UV Resistant (Yes/No)

No

Operating Temperature

+122°F (+50°C)

Reach Compliant (Article 33)

No

ROHS Compliant

Yes

Package Quantity (Imperial)

1

Package Quantity (Metric)

1

Customs Number

3925900000

About HellermannTyton HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

Contact Us RoHS/WEEE Compliance Disclaimer Terms and Conditions

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HellermannTyton:

TSR1W-33