


## Specification Sheet

Part Number: RJ45FC6AS



Deca10 Keystone Jack has been uniquely designed adopting HellermannTyton's globally tried and tested 10-Pin technology which guarantees superior performance and connectivity. Deca10 Category 6A system offers backward compatibility with Category 6, Category 5e, Category 5 and voice products.

Tested to exceed ISO/EIA 11801:2002 amendment 11 and ANSI/TIA/EIA 568 - C2

Category 6A Shielded Modular Jack, Mill Finish, 1/bag

<b>Article Number</b>	852-40000
-----------------------	-----------

<b>Type</b>	KSJ08SC6A
-------------	-----------

<b>Color</b>	Metal (ML)
--------------	------------

<b>Product Description</b>	HellermannTyton's Shielded Category 6A keystone jack is designed to support your 10G installation needs. Its design includes HellermannTyton's innovative 10 pin technology which helps to guarantee superior performance while exceeding the TIA/EIA Category 6A standard. All eight terminations are made at once using our hand termination tool which helps ensure quality and consistency of the connections. Once terminated, jacks are compatible with HellermannTyton shielded modular patch panels and modular faceplates.
----------------------------	---

<b>Short Description</b>	Category 6A Shielded Modular Jack, Mill Finish, 1/bag
--------------------------	---

<b>Global Part Name</b>	KSJ08SC6A
<b>Technical Description</b>	Category 6A Shielded Modular Jack, Stainless Steel
<b>Port Count</b>	1
<b>Width W (Imperial)</b>	0.63
<b>Width W (Metric)</b>	16.0
<b>Height H (Imperial)</b>	0.91
<b>Height H (Metric)</b>	23.0
<b>Depth D (Imperial)</b>	1.42
<b>Depth D (Metric)</b>	36.0
<b>UL Listed (US and Canada)</b>	Yes
<b>UL Listed (US)</b>	Yes
<b>Package Quantity (Imperial)</b>	1
<b>Package Quantity (Metric)</b>	1

<b>Customs Number</b>	8536695050
-----------------------	------------

<b>Weight (Metric)</b>	0.026
------------------------	-------

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[HellermannTyton:](#)

[RJ45FC6AS](#)