



1/2"NPT External Mount with Temperature Sensing



The TSSF212 series is a compact external fitting device, via 1/2"NPT thread, with a high specification thermistor so capable of sensing both liquid level and temperature.

The device does not require access to the inside of the tank.

Application of the product is typically used in the pharmaceutical industry, food and beverage and dairies industry, as well as biofuel industry.

They are manufactured in stainless steel, to suit most commonly used liquids.

The switch action may be reversed by rotating the device through 180°.

- Compact design with temperature sensing
- 1/2"NPT thread for external mount
- 25VA & 100VA versions
- Float material SS 316, stem material SS 304
- N/O or N/C switching action
- Temperature measurement from -20°C to +120°C

Technical Specification	
Mounting Style	External
Mounting Thread	1/2"NPT
Float & Stem Material	SS 316 & SS 304
Maximum Temperature	-20°C to 120°C
Maximum Pressure	10 bar
Float SG	0.7
Minimum Fluid SG	0.8


Electrical Specification		25W (Y Code)	100W (H Code)
Contact Form		N/O (N/C)	N/O (N/C)
Switching Power Max	VA	25	100
Switching Voltage AC Max	V	240	300
Switching Voltage DC Max	V	120	300
Switching Current Max	Α	0.6	1

Thermistor Specification

Nominal Temperature Resistance
Resistance Tolerance
Operating Temperature Range
Temperature Sensing Accuracy
Beta Value
Response Time
Other Accuracy
Accuracy
Operating Temperature Range
Accuracy
Accura

Standard Parts	Temperature	Max Power	Leadouts	Output	
TSSF212H100	-20°C to + 120°C	100VA	100cm XLPE AWG 22	SPNO + Temp	
TSSF212Y100	-20°C to + 120°C	25VA	100cm XLPE AWG 22	SPNO + Temp	

Custom versions can be made for particular applications. Please contact Cynergy3 with your requirements.



Cynergy3 Components Ltd.
7 Cobham Road
Ferndown Industrial Estate
Wimborne, Dorset BH21 7PE
Telephone +44 (0) 1202 897969
Email:sales@cynergy3.com

ISO9001certified www.cynergy3.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Sensata:

TSSF212H100 TSSF212Y100