


GS-630A

630 TIE-POINT, SOLDERLESS BREADBOARD WITH BUS STRIP

Applications

The GS-630 is a modular type solderless breadboard that is comprised of the GS-080 bus strip and the GS-470 breadboard. Expandable in two dimensions, it is a great way to prototype low frequency or DC powered circuits. They are ideal for:

- Educational labs
- Hobbyists



Features

- 630 Tie-points
- ABS plastic body
- Round hole style
- Interlocking tabs
- Peel and stick adhesive
- Nickel plated phosphor bronze spring clip contacts
- Allowable wire diameter of 0.4-0.7 mm
- Fits 5 total 16-pin ICs
- Measures 5.6 x 13.6 x 1.0 cm
- Weighs 58 g
- Maximum capacity of 1.5 A at 36 V
- RoHS compliant
- Three-year warranty

GS-630A




630 TIE-POINT, SOLDERLESS BREADBOARD WITH BUS STRIP

Applications

The GS-630 is a modular type solderless breadboard that is comprised of the GS-080 bus strip and the GS-470 breadboard. Expandable in two dimensions, it is a great way to prototype low frequency or DC powered circuits. They are ideal for:

- Educational labs
- Hobbyists

GS-630A Components



GS-080*

GS-470

GS-080*

GS-630A

*The GS-080 is sold as a pack of two



Global[®]
Specialties

A Cal Test Electronics Company

22820 Savi Ranch Parkway
Yorba Linda, CA 92887
800-572-1028
globalspecialties.com

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Global Specialties:](#)

[GS-630A](#)