
THIS IS ISSUED IN STRICT CONFIDENCE THAT IT IS NOT USED AS A BASIS FOR MANUFACTURE OR SALE AND THAT IT IS NOT COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY EITHER WHOLLY OR IN PART WITHOUT THE PRIOR WRITTEN CONSENT OF CAL TEST ELECTRONICS, INC.

REVISIONS			
REV.	DESCRIPTIONS	DATE	APPROVED
_	CLASS A RELEASED (REF. DWG. P279900)	7/22/2020	

### NOTES:

- SPECIFICATION:
   JACKET: SILICONE. MULTI-LAYER, 1ST LAYER WHITE; 2ND LAYER
   "COLOR" OD: 3.7±0.2 (.146±.008)
   CONDUCTOR: BARE COPPER, STRANDING 195 x 0.07 mm = 0.75 mm2,
   18 AWG.
- 2. RATING:
  VOLTAGE: 1,000 V CAT IV PER IEC 61010-031
  CURRENT: 12 A MAX.
  TEMPERATURE: -60° C TO +180° C.
- 3. AVAILABLE IN 3 STANDARD LENGTHS AND 6 COLORS SEE MODEL NUMBER BELOW.
- 4. RoHS2 COMPLIANT.



# MODEL NUMBER CT2799A-#-XXX

-COLOR: 0 — BLACK

LENGTH: 10 - 10 m PACKAGE ACK 50 - 50 m SPOOL

2 - RED

100 - 100 m SPOOL

4 - YELLOW 5 - GREEN

6 - BLUE

9 - WHITE

#### CONTRACT NO. UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS Cal Test Electronics 22820 Savi Ranch Parkway Yorba Linda, CA 92887-4610 TOLERANCES ARE: **METRIC** DECIMALS ANGLE $.X \pm 0.8$ ± 2° **APPROVALS** DATE .XX ±0.25 TITLE DRAWN WIRE, TEST LEAD, SILICONE JACKET, DO NOT SCALE DRAWING WDH 7/22/2020 MATERIAL CHECKED 0.75 mm<sub>2</sub>, 18 AWG, 12 A THIRD ANGLE PROJECTION ENGR. FINISH SIZE CAGE CODE DWG. NO. REV. P2799A0 43F45 DESIGN ACTIVITY SCALE NONF 1 OF 1

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

### Cal Test Electronics:

CT2799A-0-10 CT2799A-0-100 CT2799A-0-50 CT2799A-2-10 CT2799A-2-100