## 5kV Isolation Modules for Analog Devices ADuM4070 and ADuM447x

8 pin SMD Modules













### **Product Features:**

- Designed specifically for the Analog Devices ADuM4070 Isolated Switching Regulator and ADuM447x series of Quad-channel digital isolators with integrated isolated switching regulators.
- 5kV Isolation and reinforced insulation for working voltages up to 300V
- UL/EN60950 and DEMKO recognized
- Designed for output load up to 2.5 Watts
- Miniature package up to 70% smaller than bobbin wound transformer
- Operating Temp: -40 to +85°C

Part Number	Turns Ratio ±3% PRI : SEC	OCL (µH Typ.)	PRI DCR (Ω Max.)	ET Constant (V-μs Min.)
TGRAD-560V8LF	1CT:2CT	398	0.8	14
TGRAD-590V8LF	1CT:3CT	398	0.8	14
TGRAD-595V8LF	1CT:5CT	398	0.8	14

Tie pins 2-3 and 6-7

Lower profile packages available if reinforced insualtion is not needed Smaller packages available for lower isolation voltages


Analog Devices is a trademark of Analog Device, Inc.


Contact factory for specific datasheets and additional turns ratios.

# **Schematic** 8 2 3 4


### 5kV Isolation Modules for Analog Devices ADuM4070 and ADuM447x

### V8 Package





Dimensions: inches [mm] Co-Planarity: 0.004 [0.10]



Recommended Solder Pad Dimensions



www.haloelectronics.com

HALO® Electronics is a leading supplier of high quality communication magnetics including signal transformers, filters, CMR chokes, PoE power transformers, DC/DC converters, and integrated Ethernet connectors. HALO's leading edge technology solutions are manufactured in ISO9001 and ISO14001 factories offering high quality products at a competitive price.

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

**HALO Electronics:** 

TGRAD-590V8LFTR TGRAD-595V8LFTR