Safety Data Sheet



Revision Number: 004.0

Issue date: 09/03/2019

1. PRODUCT AND COMPANY IDENTIFICATION

IDH number:

Product name:

LOCTITE STYCAST ES 6038 PTB known as HYSOL ES6038 PART B 5

Product type/use: Restriction of Use: Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

GAL Epoxy Hardener None identified

EB6038-B80 Item number: Region: **United States** Contact information: Telephone: +1 (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

235722

This product contains an ingredient for which a Significant New Use Rule (SNUR) has been promulgated by the US EPA under the Toxic Substances Control Act (TSCA). Specific restrictions and requirements are listed under 40 CFR 721.10765.

2. HAZARDS IDENTIFICATION

	EMERGENCY OVERVIEW
DANGER:	HARMFUL IF SWALLOWED.
	TOXIC IN CONTACT WITH SKIN.
	CAUSES SEVERE SKIN BURNS AND EYE DAMAGE.
	MAY CAUSE AN ALLERGIC SKIN REACTION.
	MAY CAUSE ALLERGY OR ASTHMA SYMPTOMS OR BREATHING
	DIFFICULTIES IF INHALED.

HAZARD CLASS	HAZARD CATEGORY
ACUTE TOXICITY ORAL	4
ACUTE TOXICITY DERMAL	3
SKIN CORROSION	1B
SERIOUS EYE DAMAGE	1
RESPIRATORY SENSITIZATION	1
SKIN SENSITIZATION	1

PICTOGRAM(S)

Precautionary Statements

Prevention:

Avoid breathing vapors, mist, or spray. Wash affected area thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, clothing, eye and face protection. In case of inadequate ventilation wear respiratory protection.

Response: Storage:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical attention. If experiencing respiratory symptoms: Call a poison center or physician. Take off contaminated clothing. Store locked up.
0	
Disposal:	Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

2 % of the mixture consists of ingredient(s) of unknown acute toxicity.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	Percentage*	
N-Aminoethylpiperazine	140-31-8	30 - 60	
4-Nonylphenol, branched	84852-15-3	30 - 60	
Diethylenetriamine	111-40-0	1 - 5	
Substituted Amine	Proprietary	0.1 - 1	
Triethylenetetramine	112-24-3	0.1 - 1	
Phenol	108-95-2	0.1 - 1	

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. F	FIRST AID MEASURES
Inhalation:	Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Skin contact:	Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. Get medical attention. Wash clothing before reuse.
Eye contact:	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Check for and remove any contact lenses. Get medical attention.
Ingestion:	DO NOT induce vomiting unless directed to do so by medical personnel. If vomiting occurs, prevent aspiration by keeping the patient's head below the knees. Never give anything by mouth to an unconscious person. Get immediate medical attention.
Symptoms:	See Section 11.
5. FIR	E FIGHTING MEASURES
Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide.
Special firefighting procedures:	Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. In case of fire, keep containers cool with water spray.
Unusual fire or explosion hazards:	Closed containers may rupture (due to build up of pressure) when exposed to extreme heat.

Hazardous combustion products:

Oxides of carbon, oxides of nitrogen, irritating organic vapors. Ammonia. Toxic fumes.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions: Do not allow product to enter sewer or waterways.	
Clean-up methods:	Remove all sources of ignition. Evacuate and ventilate spill area; dike spill to prevent entry into water system; wear full protective equipment during clean- up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a closed container until ready for disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up.

7. HANDLING AND STORAGE

Handling:

Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Refer to Section 8.

Storage:

Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
N-Aminoethylpiperazine	None	None	None	None
4-Nonylphenol, branched	None	None	None	None
Diethylenetriamine	(SKIN) None		None	None
Substituted Amine	None	None	None	None
Triethylenetetramine	None	None	1 ppm (6 mg/m3) TWA (SKIN)	None
Phenol	5 ppm TWA (SKIN)	5 ppm (19 mg/m3) PEL (SKIN)	None	None
Engineering controls:	Use local exhaust ventilation if the potential for airborne exposure exists.			
Respiratory protection:	Use NIOSH approved respirator if there is potential to exceed exposure limit(s).			
Eye/face protection:	Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available.			

Skin protection:

Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact. Neoprene, Butyl-rubber, or nitrilerubber gloves. Cover as much of the exposed skin area as possible with appropriate clothing.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Color: Odor: Odor threshold: pH: Vapor pressure: Boiling point/range: Melting point/ range: Specific gravity: Vapor density: Flash point: Flammable/Explosive limits - lower: Flammable/Explosive limits - upper: Autoignition temperature: Flammability: Evaporation rate: Solubility in water: Partition coefficient (n-octanol/water): **VOC content:** Viscosity: Decomposition temperature:

Liquid Black Aromatic Not available. Alkaline 0.2 mm hg 294.8 °C (562.6 °F) Not available. 1.0 < 1 118.3 °C (244.94 °F) Closed cup Not available. Not available. Not determined Not applicable < 0.1 Soluble Not available. 0 %; 0 g/l Estimated Not available. Not available.

10. STABILITY AND REACTIVITY

Hazardous reactions: None under norma	l processing.
products: are known to be po	Dxides of nitrogen. Ammonia. CAUTION! N-nitrosamines (many of which otent carcinogens) may be formed when the product comes in contact with s or atmospheres with high nitrous oxide concentrations.
Incompatible materials: Strong acids and of galvanized surface	xidizing agents. This product slowly corrodes copper, aluminum, zinc and s.
Reactivity: Not available.	
Conditions to avoid: Store away from ir sources of ignition	compatible materials. Keep away from open flames, hot surfaces and

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure:

Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation:	Severe respiratory tract irritation. May cause allergic respiratory reaction. Wheezing. Coughing.
	Shortness of breath. Aspiration may cause lung damage.
Skin contact:	Toxic in contact with skin. Causes skin burns. May cause allergic skin reaction.
Eye contact:	Causes serious eye damage. Burns of the eye may cause blindness.
Ingestion:	Harmful if swallowed. Irritation and corrosive action can occur in the mouth, stomach tissue and
	digestive tract if swallowed. Danger of perforation of the esophagus and the stomach.

Hazardous Component(s)	LD50s and LC50s	Immediate and Delayed Health Effects
N-Aminoethylpiperazine	None	Irritant, Corrosive, Allergen
4-Nonylphenol, branched	None	Irritant, Corrosive
Diethylenetriamine	Oral LD50 (Rat) Approximate 1,140 mg/kg Oral LD50 (Rat) = 1,080 mg/kg Oral LD50 (Rat) = 2.33 g/kg	Allergen, Irritant, Eyes
Substituted Amine	Oral LD50 (Rat) = 3,000 mg/kg	Irritant, Allergen
Triethylenetetramine None		Allergen, Corrosive, Developmental, Irritant, Mutagen
Phenol	Oral LD50 (Mouse) = 270 mg/kg Oral LD50 (Rat) = 317 mg/kg Oral LD50 (Rat) = 530 mg/kg Dermal LD50 (Rat) = 669 mg/kg Dermal LD50 (Rabbit) = 850 mg/kg	Blood, Cardiac, Corrosive, Developmental, Eyes, Irritant, Kidney, Liver, Mutagen, Nervous System, Skin, Vascular

Hazardaus Component(s)	NTB Caroinagan	IABC Caroinogan	OSHA Carcinogen
Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	(Specifically Regulated)
N-Aminoethylpiperazine	No	No	No
4-Nonylphenol, branched	No	No	No
Diethylenetriamine	No	No	No
Substituted Amine	No	No	No
Triethylenetetramine	No	No	No
Phenol	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information:

Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal:

Hazardous waste number:

Follow all local, state, federal and provincial regulations for disposal.

D002: Corrosive. Wastes must be tested using methods described in 40 CFR Part 261 to determine if it meets applicable definitions of hazardous wastes.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Hazard class or division: Identification number: Packing group: Marine pollutant: Corrosive liquid, basic, organic, n.o.s. (Aminoethylpiperazine, Nonylphenol) 8 UN 3267 III Nonylphenol

International Air Transportation (ICAO/IATA) Proper shipping name: Hazard class or division: Identification number: Packing group:	Corrosive liquid, basic, organic, n.o.s. (Aminoethylpiperazine, Nonylphenol) 8 UN 3267 III
Water Transportation (IMO/IMDG)	
Proper shipping name:	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (Aminoethylpiperazine, Nonylphenol)
Hazard class or division:	8
Identification number: Packing group:	UN 3267 III
Marine pollutant:	Nonylphenol

15. REGULATORY INFORMATION

United States Regulatory Information

	TSCA 8 (b) Inventory Status:	All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory.
	TSCA 5 (a) (2) SNUR:	This product contains an ingredient for which a Significant New Use Rule (SNUR) has been promulgated by the US EPA under the Toxic Substances Control Act (TSCA). Specific restrictions and requirements are listed under 40 CFR 721.10765.
	TSCA 12 (b) Export Notification:	Alkyl phenol (CAS# 84852-15-3).
	CERCLA/SARA Section 302 EHS: CERCLA/SARA Section 311/312: CERCLA/SARA Section 313:	None above reporting de minimis. Immediate Health, Delayed Health This product contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). 4-Nonylphenol, branched (CAS# 84852-15-3).
	California Proposition 65:	This product contains a chemical known in the State of California to cause cancer.
Canada Regulatory Information		
	CEPA DSL/NDSL Status:	Contains one or more components listed on the Non-Domestic Substances List. All other components are listed on or are exempt from listing on the Domestic Substances List. Components listed on the NDSL must be tracked by all Canadian Importers of Record as required by Environment Canada. They may be imported into Canada in limited quantities. Please contact Regulatory Affairs for additional details.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 2,3,8,11,15,16

Prepared by: Product Safety and Regulatory Affairs

Issue date: 09/03/2019

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on OSHA Hazard Communication Standard (29 CFR 1910.1200) and provides information in accordance with U.S. federal law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Loctite:

235722