Safety Data Sheet



Revision Number: 002.0

1. PRODUCT AND COMPANY IDENTIFICATION

Product name:

Product type: Restriction of Use: Company address: Henkel Corporation One Henkel Way Rocky Hill, Connecticut 06067

LOCTITE STYCAST HD 3421 known as IDH number: HYSOL HD3421 GAL Hardener None identified

498906

HD3421-B50 Item number: Region: **United States** Contact information: Telephone: +1 (860) 571-5100 MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711 TRANSPORT ENERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887 Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

| EMERGENCY OVERVIEW | | |
|--------------------|--|--|
| DANGER: | FLAMMABLE LIQUID AND VAPOR. | |
| | HARMFUL IF SWALLOWED. | |
| | TOXIC IN CONTACT WITH SKIN. | |
| | CAUSES SEVERE SKIN BURNS AND EYE DAMAGE. | |
| | MAY CAUSE AN ALLERGIC SKIN REACTION. | |

| HAZARD CLASS | HAZARD CATEGORY |
|-----------------------|-----------------|
| FLAMMABLE LIQUID | 3 |
| ACUTE TOXICITY ORAL | 4 |
| ACUTE TOXICITY DERMAL | 3 |
| SKIN CORROSION | 1C |
| SERIOUS EYE DAMAGE | 1 |
| SKIN SENSITIZATION | 1 |





Precautionary Statements

| Prevention: | Keep away from heat, sparks, open flames, hot surfaces - no smoking. Keep container tightly closed. No release into water. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe vapors, mist, or spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves, eye protection, and face protection. |
|-------------|---|
| Response: | If SWALLOWED: Immediately call poison control or physician if you feel unwell. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to remove. Continue rinsing. Immediately call a poison control center or physician. If skin irritation or rash occurs: Get medical attention. Wash contaminated clothing before reuse. In case of fire: Use foam, dry chemical or carbon dioxide to extinguish. |

Storage: Disposal: Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|-----------------------------|------------|-------------|
| 3-(Diethylamino)propylamine | 104-78-9 | 60 - 100 |

* Exact percentage is a trade secret. Concentration range is provided to assist users in providing appropriate protections.

| 4 | 4. FIRST AID MEASURES |
|------------------------------------|---|
| Inhalation: | Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. |
| Skin contact: | Immediately flush skin with plenty of water (using soap, if available). Remove contaminated clothing and footwear. Get medical attention. Wash clothing before reuse. |
| Eye contact: | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| Ingestion: | Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention. |
| Symptoms: | See Section 11. |
| 5. | FIRE FIGHTING MEASURES |
| Extinguishing media: | Water spray (fog), foam, dry chemical or carbon dioxide. |
| Special firefighting procedures: | Wear self-contained breathing apparatus and full protective clothing, such as turn-out gear. In case of fire, keep containers cool with water spray. |
| Unusual fire or explosion hazards: | Closed containers may rupture (due to build up of pressure) when exposed t extreme heat. |
| Hazardous combustion products: | Oxides of carbon. Oxides of nitrogen. Toxic and irritating vapors. |
| 6. ACC | IDENTAL RELEASE MEASURES |

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

| Environmental precautions: | Do not allow product to enter sewer or waterways. |
|----------------------------|--|
| Clean-up methods: | Remove all sources of ignition. Ensure adequate ventilation. Isolate area. Keep unnecessary personnel away. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Store in a closed container until ready for disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to clean up. |

7. HANDLING AND STORAGE

Handling:

Use only with adequate ventilation. Prevent contact with eyes, skin and clothing. Do not breathe vapor and mist. Wash thoroughly after handling. Refer to Section 8.

Storage:

Keep in a cool, well ventilated area away from heat, sparks and open flame. Keep container tightly closed until ready for use.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|-----------------------------|---|----------|-----------|-------|
| 3-(Diethylamino)propylamine | None | None | None | None |
| Engineering controls: | Provide adequate local exhaust ventilation to maintain worker exposure below exposure limits. | | | |
| Respiratory protection: | Use a NIOSH approved air-purifying respirator if the potential to exceed established exposure limits exists. | | | |
| Eye/face protection: | Safety goggles or safety glasses with side shields. Full face protection should be used if the potential for splashing or spraying of product exists. Safety showers and eye wash stations should be available. | | | |
| Skin protection: | Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact. | | | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| Physical state: Color: |
|--|
| Odor: |
| Odor threshold: |
| pH: |
| Vapor pressure: |
| Boiling point/range: |
| Melting point/ range: |
| Specific gravity: |
| Vapor density: |
| Flash point: |
| Flammable/Explosive limits - lower: |
| Flammable/Explosive limits - upper: |
| Autoignition temperature: |
| Evaporation rate: |
| Solubility in water: |
| Partition coefficient (n-octanol/water): |
| VOC content: |
| Viscosity: |
| Decomposition temperature: |

Liquid Colorless Ammoniacal Not available. Not available. Not available. Not available. Not available. 0.83 Not available. 51.1 °C (123.98 °F) Closed cup Not available. Not available. Not available. Not available. Miscible Not available. Not available. Not available. Not available.

10. STABILITY AND REACTIVITY

| Stability: | Stable under normal conditions of storage and use. | | |
|--------------------------------------|--|--|--|
| Hazardous reactions: | None under normal processing. Polymerization may occur at elevated temperature or in the presence of incompatible materials. | | |
| Hazardous decomposition products: | Oxides of carbon. Oxides of nitrogen. Irritating organic vapours. | | |
| Incompatible materials: | Strong oxidizing agents. Strong acids and strong bases. Nitrous acid and other nitrosating agents. | | |
| Reactivity: | Not available. | | |
| Conditions to avoid: | High temperatures. Heat, flames, sparks and other sources of ignition. Store away from incompatible materials. Avoid contact with water. | | |
| | | | |

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

| Inhalation: | May cause respiratory tract irritation. Coughing. Shortness of breath. |
|---------------|--|
| Skin contact: | Toxic in contact with skin. Corrosive to the skin. Contact with the skin or mucous membranes |
| | may cause severe irritation and burns. May cause allergic skin reaction. |
| Eye contact: | This product is severely irritating to the eyes and may cause eye burns. |
| Ingestion: | Harmful if swallowed. Irritation and corrosive action can occur in the mouth, stomach tissue and digestive tract if swallowed. |

| Hazardous Component(s) | LD50s and LC50s | | Immediate | and Delayed Health Effects |
|-----------------------------|-----------------------|---------|------------------|----------------------------|
| 3-(Diethylamino)propylamine | None | | No Target Organs | |
| Hazardous Component(s) | NTP Carcinogen | IARC Ca | roinogon | OSHA Carcinogen |
| Hazardous Component(s) | NTF Carcinogen IARC C | | rcmogen | (Specifically Regulated) |

12. ECOLOGICAL INFORMATION

Ecological information:

3-(Diethylamino)propylamine

Not available.

No

No

No

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

Corrosive.

Hazardous waste number:

Waste from this product may be hazardous as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. D001: Ignitable. D002:

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

| U.S. Department of Transportation Ground | d (49 CFR) |
|--|---------------------------|
| Proper shipping name: | 3-Diethyamino-propylamine |
| Hazard class or division: | 3 (8) |
| Identification number: | UN 2684 |
| Packing group: | III |
| International Air Transportation (ICAO/IAT | Α) |
| Proper shipping name: | 3-Diethylaminopropylamine |
| Hazard class or division: | 3 (8) |
| Identification number: | UN 2684 |
| Packing group: | III |
| Water Transportation (IMO/IMDG) | |
| Proper shipping name: | 3-DIETHYLAMINOPROPYLAMINE |
| Hazard class or division: | 3 (8) |
| Identification number: | UN 2684 |
| Packing group: | III |
| | |

15. REGULATORY INFORMATION

United States Regulatory Information

| TSCA 8 (b) Inventory Status: TSCA 12 (b) Export Notification: | All components are listed or are exempt from listing on the Toxic Substances Control Act Inventory. None above reporting de minimis |
|--|---|
| TSCA 12 (b) Export Notification. | None above reporting de minimis |
| CERCLA/SARA Section 302 EHS: | None above reporting de minimis |
| CERCLA/SARA Section 311/312: | Immediate Health, Fire |
| CERCLA/SARA Section 313: | None above reporting de minimis |
| California Proposition 65: | No California Proposition 65 listed chemicals are known to be present. |
| Canada Regulatory Information | |

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Prepared by: Timothy Pratt, Regulatory Affairs Specialist

Issue date: 09/18/2014

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Loctite:

498906