

Revision Number: 004.0 Issue date: 05/09/2017

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: LOCTITE CAT 50 AMB known as CATALYST 50 AMB 15 GR

Product type: Catalyst Restriction of Use: None identified

Company address: Henkel Corporation

One Henkel Way

Rocky Hill, Connecticut 06067

IDH number: 1188194

Region: **United States**

Contact information:

Telephone: +1 (860) 571-5100

MEDICAL EMERGENCY Phone: Poison Control Center 1-877-671-4608 (toll free) or 1-303-592-1711

TRANSPORT EMERGENCY Phone: CHEMTREC 1-800-424-9300 (toll free) or 1-703-527-3887

Internet: www.henkelna.com

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: FLAMMABLE LIQUID AND VAPOR.

> TOXIC IF SWALLOWED. CAUSES SKIN IRRITATION. CAUSES SERIOUS EYE DAMAGE.

| HAZARD CLASS | HAZARD CATEGORY |
|---------------------|-----------------|
| FLAMMABLE LIQUID | 3 |
| ACUTE TOXICITY ORAL | 3 |
| SKIN IRRITATION | 2 |
| SERIOUS EYE DAMAGE | 1 |

PICTOGRAM(S)





Precautionary Statements

IDH number: 1188194

Prevention: Keep away from heat, sparks, open flames, hot surfaces - no smoking. Keep container tightly

closed. No release into water. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wash affected area thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves, eye

protection, and face protection.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. Rinse mouth. If Response:

on skin (or hair): Take off immediately all contaminated clothing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical attention. Take off contaminated clothing. In case of

fire: Use foam, dry chemical or carbon dioxide to extinguish.

Storage: Store in a well-ventilated place. Keep cool. Store locked up.

Dispose of contents and/or container according to Federal, State/Provincial and local Disposal:

governmental regulations.

Classification complies with OSHA Hazard Communication Standard (29 CFR 1910.1200) and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Hazardous Component(s) | CAS Number | Percentage* |
|-----------------------------|------------|-------------|
| Butoxydibutylchlorostannane | 14254-22-9 | 80 - 90 |
| 2-Butoxyethanol | 111-76-2 | 5 - 10 |
| Hydrochloric acid | 7647-01-0 | 1 - 5 |
| n-Butyl alcohol | 71-36-3 | 1 - 5 |

^{*} Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

Inhalation: Move to fresh air. If not breathing, give artificial respiration. If breathing is

difficult, give oxygen. Get medical attention.

Skin contact: Remove contaminated clothing and footwear. Immediately flush skin with

plenty of water (using soap, if available). If symptoms develop and persist, get

medical attention. Wash clothing before reuse.

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15

minutes. Get medical attention.

Ingestion: DO NOT induce vomiting unless directed to do so by medical personnel.

Never give anything by mouth to an unconscious person. Get medical

attention.

Symptoms: See Section 11.

IDH number: 1188194

5. FIRE FIGHTING MEASURES

Extinguishing media: Foam, dry chemical or carbon dioxide. Do not use water.

Special firefighting procedures: Wear self-contained breathing apparatus and full protective clothing, such as

turn-out gear.

Unusual fire or explosion hazards: Closed containers may rupture (due to build up of pressure) when exposed to

extreme heat. Vapours may accumulate in low or confined areas, travel

considerable distance to source of ignition, and flash back.

Hazardous combustion products: Oxides of carbon, oxides of nitrogen, irritating organic vapors. Hazardous

decomposition products include chlorine compounds. Hydrocarbons. Oxides

of tin.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:Do not allow product to enter sewer or waterways.

Clean-up methods: Evacuate and ventilate spill area; dike spill to prevent entry into water system;

wear full protective equipment during clean-up. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Scrape up as much material as possible. Store in a partly filled, closed container until disposal. Refer to Section 8 "Exposure Controls / Personal Protection" prior to

clean up.

7. HANDLING AND STORAGE

Handling: Use only with adequate ventilation. Prevent contact with eyes, skin and

clothing. Do not breathe vapor and mist. Wash thoroughly after handling.

Refer to Section 8.

Storage: Keep in a cool, well ventilated area away from heat, sparks and open flame.

Keep container tightly closed until ready for use.

For information on product shelf life, please review labels on container or check the Technical Data Sheet.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

| Hazardous Component(s) | ACGIH TLV | OSHA PEL | AIHA WEEL | OTHER |
|-----------------------------|---|-------------------------------------|-----------|-------|
| Butoxydibutylchlorostannane | 0.1 mg/m3 TWA (as Sn) 0.2 mg/m3 STEL (as Sn) (SKIN) (as Sn) | 0.1 mg/m3 PEL (as Sn) | None | None |
| 2-Butoxyethanol | 20 ppm TWA | 50 ppm (240 mg/m3) PEL (SKIN) | None | None |
| Hydrochloric acid | 2 ppm Ceiling | 5 ppm (7 mg/m3) Ceiling | None | None |
| n-Butyl alcohol | 20 ppm TWA | 100 ppm (300 mg/m3) PEL | None | None |

Engineering controls: Provide adequate local exhaust ventilation to maintain worker exposure below

exposure limits.

Respiratory protection: Use NIOSH approved respirator if there is potential to exceed exposure

limit(s).

Eye/face protection: Safety goggles or safety glasses with side shields. Full face protection should

be used if the potential for splashing or spraying of product exists. Safety

showers and eye wash stations should be available.

Skin protection: Use chemical resistant, impermeable clothing including gloves and either an

apron or body suit to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state: Liquid Color: Yellow Odor: **Pungent** Odor threshold: Not available. pH: Not applicable < 10 mm hg

Vapor pressure: Boiling point/range: 121 °C (249.8 °F) Melting point/ range: Not applicable Specific gravity: 1.25

Vapor density: > 1.0 (Air = 1)

Flash point: 42 °C (107.6 °F) Pensky Martens closed cup

Flammable/Explosive limits - lower: 1.4 % Flammable/Explosive limits - upper: 11.2 % Not available. Autoignition temperature: Flammability: Not applicable **Evaporation rate:** Not applicable Solubility in water: Insoluble Partition coefficient (n-octanol/water): Not determined

VOC content: 110 g/l

IDH number: 1188194

Viscosity:Not available.Decomposition temperature:Not available.

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Hazardous reactions: None under normal processing.

Hazardous decomposition

products:

IDH number: 1188194

Oxides of carbon. Oxides of nitrogen. Irritating organic vapours. Hazardous decomposition

products include chlorine compounds. Hydrocarbons. Oxides of tin.

Incompatible materials: Strong acids and strong bases. Oxidizing agents. Water Incompatible with ferrous metals.

Reactive metals.

Reactivity: Not available.

Conditions to avoid: Avoid moisture. High temperatures. Heat, flames, sparks and other sources of ignition. Store

away from incompatible materials.

11. TOXICOLOGICAL INFORMATION

Relevant routes of exposure: Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: May cause respiratory tract irritation. Breathing high concentrations of vapor may cause

anesthetic effects. May cause central nervous system effects with nausea, dizziness and

headache.

Skin contact: Causes skin irritation. Prolonged or repeated contact with this product may dry and/or defat the

skin.

Eye contact: Causes serious eye damage.

Ingestion: Toxic if swallowed. Ingestion may cause gastrointestinal irritation, nausea, vomiting and

diarrhea.

| Hazardous Component(s) | LD50s and LC50s | Immediate and Delayed Health Effects | |
|-----------------------------|--|---|--|
| Butoxydibutylchlorostannane | None | No Records | |
| 2-Butoxyethanol | Oral LD50 (Rat) = 560 mg/kg Oral LD50 (Mouse) = 1.2 g/kg Oral LD50 (Rabbit) = 0.32 g/kg Oral LD50 (Rat) = 1.48 g/kg Oral LD50 (Mouse) = 1,519 mg/kg Dermal LD50 (Rabbit) = 400 mg/kg Inhalation LC50 (Rat, 4 h) = 486 ppm Inhalation LC50 (Rat, 4 h) = 450 ppm | Blood, Central nervous system, Irritant, Kidney, Liver | |
| Hydrochloric acid | Oral LD50 (Rabbit) = 900 mg/kg Dermal LD50 (Mouse) = 1,449 mg/kg | Irritant, Corrosive, Kidney | |
| n-Butyl alcohol | Oral LD50 (Rat) = 790 mg/kg Dermal LD50 (Rabbit) = 3,400 mg/kg Inhalation LC50 (Rat. 4 h) = 8000 ppm | Allergen, Central nervous system, Ear, Eyes Irritant | |

| Hazardaya Campanant/a) | NTD Carainagen | IARC Coreineges | OSHA Carcinogen |
|-----------------------------|----------------|-----------------|--------------------------|
| Hazardous Component(s) | NTP Carcinogen | IARC Carcinogen | (Specifically Regulated) |
| Butoxydibutylchlorostannane | No | No | No |
| 2-Butoxyethanol | No | No | No |
| Hydrochloric acid | No | No | No |
| n-Butyl alcohol | No | No | No |

12. ECOLOGICAL INFORMATION

Ecological information: Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Follow all local, state, federal and provincial regulations for disposal.

Hazardous waste number: D001: Ignitable.

14. TRANSPORT INFORMATION

The transport information provided in this section only applies to the material/formulation itself, and is not specific to any package/configuration.

U.S. Department of Transportation Ground (49 CFR)

Proper shipping name: Flammable liquids, corrosive, n.o.s. (Butoxydibutylchlorostannane, 1-Butanol)

Hazard class or division: 3 (8)
Identification number: UN 2924
Packing group: III

International Air Transportation (ICAO/IATA)

Proper shipping name: Flammable liquid, corrosive, n.o.s. (Butoxydibutylchlorostannane, 1-Butanol)

Hazard class or division: 3 (8)
Identification number: UN 2924
Packing group: III

Water Transportation (IMO/IMDG)

Proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Butoxydibutylchlorostannane, 1-

Hazard class or division: 3 (8)
Identification number: UN 2924
Packing group: III

15. REGULATORY INFORMATION

United States Regulatory Information

TSCA 8 (b) Inventory Status: All components are listed or are exempt from listing on the Toxic Substances Control Act

Inventory.

TSCA 12 (b) Export Notification: None above reporting de minimis

CERCLA/SARA Section 302 EHS: Hydrochloric acid (CAS# 7647-01-0).

CERCLA/SARA Section 311/312: Immediate Health, Delayed Health, Fire

CERCLA/SARA Section 313: This product contains the following toxic chemicals subject to the reporting requirements of

section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40 CFR 372). 2-Butoxyethanol (CAS# 111-76-2). Hydrochloric acid (CAS# 7647-01-0). n-Butyl

alcohol (CAS# 71-36-3).

California Proposition 65: No California Proposition 65 listed chemicals are known to be present.

Canada Regulatory Information

IDH number: 1188194

CEPA DSL/NDSL Status: All components are listed on or are exempt from listing on the Canadian Domestic

Substances List.

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New Safety Data Sheet format.

Product name: LOCTITE CAT 50 AMB known as CATALYST 50 AMB 15 GR Page 5 of 6 Prepared by: Tricia Voghell, Regulatory Affairs Specialist

Issue date: 05/09/2017

IDH number: 1188194

DISCLAIMER: The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Corporation and its affiliates ("Henkel") does not assume responsibility for any results obtained by persons over whose methods Henkel has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any Henkel's products. In light of the foregoing, Henkel specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel's products. Henkel further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Loctite: 1188194