

#### **DIO8650B**

# Single Stage Flyback & PFC Controller With Primary Side Control For LED Lighting

#### **Features**

- Primary side control eliminates the opto-coupler
- Valley turn-on of the primary MOSFET to achieve lower switching losses
- Power factor >0.95 @230VAC
- THD < 10% @230VAC
- Reliable short LED and Open LED protection
- Quick start up:<500ms</li>
- Low start up current:15µA typical
- Package: SOT23-6, SOIC-8

## **Applications**

LED Lighting

#### **Descriptions**

The DIO8650B is a single stage Flyback and PFC controller targeting at LED lighting applications.

The DIO8650B is a primary side controller without applying any secondary feedback circuit for low cost, and drives the Flyback converter in the quasi-resonant mode to achieve higher efficiency.

The DIO8650B keeps the Flyback converter in constant on time operation to achieve high power factor.

This chip adopts special design to achieve quick start up and reliable protection for safety requirement.

## **Block Diagram**




Figure1 Block Diagram



## **DIO8650B**

# **Ordering Information**

Order Part Number	Top Marking		T <sub>A</sub>		Package
DIO8650BCST6	YW6B	Green	-40 to +85°C	SOT23-6	Tape & Reel, 3000
DIO8650BCS8	DIO8650B	Green	-40 to +85°C	SOIC-8	Tape & Reel, 2500

# **Pin Assignments**





Figure 2 Pin Assignment (Top View)


## **Pin Definitions**


Pin Name	Description		
	Current sense pin. Connect this pin to the source of the primary switch. Connect the sense resistor		
	across the source of the primary switch and the GND pin.		
CS	(current sense resister Resistor: $R_{CS} = k \times \frac{V_{ref} \times N_{ps}}{I_{out}}$ , k=0.167)		
	Also this pin used to detect transformer and secondary is short or not.		
GND	Ground pin		
COMP	Loop compensation pin. Connect a RC network across this pin and ground to stabilize the control		
	loop.		
	Inductor current zero-crossing detection pin. This pin receives the auxiliary winding voltage by a		
	resister divider and detects the inductor current zero crossing point. This pin also provides over		
ZCS	voltage protection and line regulation modification function simultaneously. If the voltage on this pin		
	is above V <sub>ZCS,OVP</sub> , the IC would enter over voltage protection mode. Good line regulation can be		
	achieved by adjusting the upper resistor of the divider		
VIN	Power supply pin. This pin also provides output over voltage protection along with ZCS pin.		
DRV	Gate driver pin. Connect this pin to the gate of primary MOSFET.		
NC	Not Connect.		




# **Physical Dimensions: SOT-23-6**












COMMON DIMENSIONS (UNITS OF MEASURE=MILLIMETER)						
Symbol	MIN NOM		MAX			
Α	-	-	1.25			
A1	0	-	0.15			
A2	1.00	1.10	1.20			
A3	0.60	0.65	0.70			
b	0.36	-	0.50			
b1	0.36	0.38	0.45			
С	0.14	-	0.20			
c1	0.14	0.15	0.16			
D	2.826	2.926	3.026			
E	2.60	2.80	3.00			
E1	1.526	1.626	1.726			
е	0.90	0.95	1.00			
e1	1.80	1.90	2.00			
Ē.	0.35	0.45	0.60			
L1	0.59REF					
L2	0.25BSC					
R	0.10	-	-			
R1	0.10	-	0.25			
Θ	0°	-	8°			
Θ1	3°	, 5°	7°			
Θ2	6°		14°			




# **Physical Dimensions: SOIC-8**







COMMON DIMENSIONS (UNITS OF MEASURE=MILLIMETER)						
Symbol	MIN	NOM	MAX			
A	1.35	1.55	1.75			
A1	0.10	0.15	0.25			
A2	1.25	1.40	1.65			
А3	0.50	0.60	0.70			
b	0.38	-	0.51			
b1	0.37	0.42	0.47			
С	0.17	-	0.25			
c1	0.17	0.20	0.23			
D	4.80	4.90	5.00			
E	5.80	6.00	6.20			
E1	3.80	3.90	4.00			
е	1.27BSC					
L	0.45	0.60	0.80			
L1	1.04REF					
L2	0.25BSC					
R	0.07	-	-			
R1	0.07	-	-			
h	0.30	0.40	0.50			
Θ	0°	-	8°			
Θ1	15°	17°	19°			
Θ2	11°	13°	15°			
Θ3	15°	17°	19°			
Θ4	11°	13°	15°			






#### **DIO8650B**

#### **CONTACT US**

**D**ioo is a professional design and sales corporation for high-quality and performance analog semiconductors. The company focuses on industry markets, such as, cell phone, handheld products, laptop, and medical equipment and so on. Dioo's product families include analog signal processing and amplifying, LED drivers and charger IC. Go to <a href="http://www.dioo.com">http://www.dioo.com</a> for a complete list of Dioo product families.

For additional product information, or full datasheet, please contact with our Sales Department or Representatives.



## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

DIOO:

DIO8650BCS8