









P.C.B. HOLE DRILLINGS
 (P.C.B. TOP SIDE)






NOTES:

1. METALSHELLS: STEEL; min. 315µin TIN over 40-80µin NICKEL
2. INSULATORS: PBT GF UL 94 V-0; BLACK
3. CONTACTS: COPPER ALLOY
 PLATING: GOLD FLASH over NICKEL
4. CONNECTOR IS PART MARKED: 163A16749X CONEC ABC



Directive 2002/95/EC RoHS compliant

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH					tolerance		 dim. in mm	scale: 2:1 (5:1)		
								material: SEE NOTES		
						date	name		title: D-SUB HD MALE 15pos. SOLDER PIN STRAIGHT	
					drawn	10.04.2002	Parei			
					appd.	10.04.2002	Mickenbecker			
					norm					
					d-old			dwg no:		DIN-A3 sh: 1/6
	4 x b	Ä4102	14.09.2011	K.H.						
	a	Original					part no: 163A16749X			
	rev.	description	date	name						








1. METAL SHELLS: STEEL; min. 315µin TIN over 40-80µin NICKEL
2. INSULATORS: PBT GF UL 94 V-0; BLACK
3. CONTACTS: COPPER ALLOY
PLATING: GOLD FLASH over NICKEL
4. CONNECTOR IS PART MARKED: [163A16759X CONEC ABC]

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH	DO NOT ALTER CAD DRAWING BY HAND				tolerance		 dim. in mm	scale: 2:1 (5:1)		material: SEE NOTES	
					date			name			title: D-SUB HD MALE 26pos. SOLDER PIN STRAIGHT
					drawn	10.04.2002	Parei				
					appd.	10.04.2002	Mickenbecker				
					norm						
					d-old						
	4 x b	Ä4102	14.09.2011	K.H.					dwg no:		DIN- A3 sh: 2/6
	a	Original							16K1A542		
	rev.	description	date	name					part no:		163A16759X

Directive 2002/95/EC RoHS compliant

(5:1)



NOTES:

1. METALSHELLS: STEEL; min. 315µin TIN over 40-80µin NICKEL
2. INSULATORS: PBT GF UL 94 V-0; BLACK
3. CONTACTS: COPPER ALLOY
PLATING: GOLD FLASH over NICKEL
4. P.C.B. HOLE DRILLINGS ON SHEET 4
5. CONNECTOR IS PART MARKED: 163A16769X CONEC ABC


Directive 2002/95/EC RoHS compliant

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH				tolerance		 dim. in mm	scale:		2:1 (5:1)								
							material:		SEE NOTES								
						date		name		title: D-SUB HD MALE 44pos. SOLDER PIN STRAIGHT							
						drawn		10.04.2002 Parei									
						appd.		10.04.2002 Mickenbecker									
						norm											
						d-old				dwg no: 16K1A542							
				4 x b		Ä4102		14.09.2011						K.H.		DIN-A3	
				a		Original										sh: 3/6	
				rev.		description		date		name		part no:		163A16769X			

CONEC






P.C.B. HOLE DRILLINGS

(P.C.B. TOP SIDE)



Directive 2002/95/EC RoHS compliant

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH DO NOT ALTER CAD DRAWING BY HAND										tolerance			 dim. in mm		scale: 2:1			
																material: SEE SHEET3		
														date	name		title: P.C.B. HOLE DRILLINGS D-SUB HD MALE 44pos.	
														drawn	10.04.2002 Parei			
														appd.	10.04.2002 Mickenbecker			
														norm				
														d-old			dwg no: 16K1A542	
																		
										a	Original					DIN-A3		
rev.	description	date	name				sh: 4/6											
							part no: SEE SHEET3											




NOTES:

- METAL SHELLS: STEEL; min. 315µm TIN over 40-80µm NICKEL
- INSULATORS: PBT GF UL 94 V-0; BLACK
- CONTACTS: COPPER ALLOY
PLATING: GOLD FLASH over NICKEL
- P.C.B. HOLE DRILLINGS ON SHEET 6
- CONNECTOR IS PART MARKED: 163A16779X CONEC ABC

Directive 2002/95/EC RoHS compliant

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH					tolerance		 dim. in mm	scale: 2:1 (5:1)		
								material: SEE NOTES		
					date	name		title: D-SUB HD MALE 62pos. SOLDER PIN STRAIGHT		
					drawn 10.04.2002	Parei				
					appd. 10.04.2002	Mickenbecker				
					norm					
					d-old			dwg no: 16K1A542		
	4 x b	Ä4102	14.09.2011	K.H.			DIN-A3 sh: 5/6			
	a	Original								
	rev.	description	date	name	part no:		163A16779X			

P.C.B. HOLE DRILLINGS
(P.C.B. TOP SIDE)



Directive 2002/95/EC RoHS compliant

THIS DRAWING MAY NOT BE COPIED OR REPRODUCED IN ANY WAY, AND MAY NOT BE PASSED ON TO A THIRD PARTY WITHOUT WRITTEN PERMISSION. OWNERSHIP AND COPYRIGHT OF CONEC GmbH				tolerance		 dim. in mm		scale: 2:1					
								material: SEE SHEET 5					
									date		name	title: P.C.B. HOLE DRILLINGS D-SUB HD Male 62pos.	
								drawn	10.04.2002	Parei			
								appd.	10.04.2002	Mickenbecker			
				norm									
				d-old			dwg no:		DIN- A3				
a	Original					16K1A542							
rev.	description	date	name						sh: 6/6				
								part no:		SEE SHEET 5			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[CONEC:](#)

[163A16759X](#) [163A16779X](#)