

TuffDrive® eUSB

eUSB 10-pin and Keys

8GB – 64GB



**Industrial Embedded
Technology for an
Interconnected World**

**TuffDrive eUSB 10-pin
modules and keys are
ideal solutions for
applications that utilize
chipsets that may not
have a SATA interface**



**Designed, programmed, built
and supported in the U.S. -
fortified by locations
worldwide.**

Overview

Virtium's TuffDrive® eUSB 10-pin modules and keys provide high reliability and targeted storage for server, networking, embedded, and industrial applications. They feature the widely supported USB 2.0 and 3.0 interfaces, ensuring compatibility with countless systems.

Virtium backs its world-class storage products with a five-year warranty and delivers the longest product life cycles in the industry.

Applications

TuffDrive eUSBs are ideal solutions for operating system and file storage and system level diagnostics in applications that utilize chipsets that may not have a SATA interface.

Even if a host system has integrated SATA, many engineers find that eUSB modules are beneficial for storing configuration information and for providing a backup repository for data in DRAM in the event of a system-level power down.

Features

- 10-pin modules available in standard 2.54mm or low profile 2mm connector configurations
- Keys available in both short and long key configurations
- Standard and industrial temperature
- USB 2.0 and 3.0 compliant

Specifications

Interface	USB
Voltage/Power	5v / 1.7W
UBER	<1 sector error in 1015 bits read
MTBF	> 2M hours
*Endurance	30X Baseline
Dimensions (mm)	69.85 x 100.5 x 7 / 9.5
Warranty	5 Years

	10-pin 2.00mm	10-pin 2.54mm	Short Key	Long Key
Dimensions	36.90 x 26.60	36.90 x 26.60 x 5.95	45.35 x 17.90 x 6.20	71.40 x 17.90 x 8.00
Environmental	MIL-STD-810F	MIL-STD-810F	IEC 68-2-27 & IEC 68-2-6	IEC 68-2-27 & IEC 68-2-6

* Endurance Baseline = one entire drive write per day for the entire warranty period.

Ordering Information

VTDUxxP(C/I)yyy(G/M)-zzz

where:

VTDUxxP= Virtium TuffDrive eUSB

(C/I) = Commercial/Industrial operating temp.

yyy = Capacity

(G/M) = Gigabyte / Megabyte

zzz = Virtium proprietary

Virtium manufactures memory and storage solutions for the world's top industrial embedded OEMs. For two decades we have designed, built and supported our products in the USA - fortified by a network of global locations. Our world-class technology and unsurpassed support provide a superior customer experience that continuously results in better industrial embedded products for our increasingly interconnected world.

© Copyright 2016. All rights reserved. Virtium®, Storfly® and TuffDrive® are registered trademarks of Virtium LLC. All other non-Virtium product names are trademarks of their respective companies.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Virtium:

[VTDU31PC064G](#) [VTDU35CC032G](#) [VTDU31PC016G](#) [VTDU35PI008G](#) [VTDU32PI032G](#) [VTDU32PC064G](#)
[VTDU31PI008G](#) [VTDU31PI002G](#) [VTDU32PC016G](#) [VTDU35PC032G](#) [VTDU32PC002G](#) [VTDU35PC016G](#)
[VTDU34CC032G](#) [VTDU32PC008G](#) [VTDU31PI016G](#) [VTDU31PI004G](#) [VTDU32PC032G](#) [VTDU31PC002G](#)
[VTDU41PI064G-V11](#) [VTDU32PI064G](#) [VTDU34PI032G](#) [VTDU34PI008G](#) [VTDU34PI016G](#) [VTDU31PC004G](#)
[VTDU32PI002G](#) [VTDU31PC032G](#) [VTDU31PC008G](#) [VTDU34PC016G](#) [VTDU31PI064G](#) [VTDU35PC008G](#)
[VTDU34PC008G](#) [VTDU34PC032G](#) [VTDU32PC004G](#) [VTDU31PI032G](#) [VTDU35PI032G](#) [VTDU35PI016G](#)
[VTDU32PI004G](#) [VTDU32PI016G](#) [VTDU32PI008G](#) [VTDU41PI004G](#) [VTDU42PI008G](#) [VTDU41PI016G](#)
[VTDU41PI008G](#) [VTDU42PI004G](#) [VTDU42PI016G](#)