Bussmann®

TVSS

Transient Voltage Surge Suppression Limiters



Catalog Symbol: TVSS

Nickel Plated Brass End Caps Voltage Rating: 600Vac **Interrupting Rating:** 200,000A RMS Sym. Agency Approvals:


Construction:


Melamine Tube


General Information:

- Designed to protect TVSS systems per UL 1449 Second Edition Requirements.
- Able to withstand 8x20 µSec surge pulses without opening. · Limiters are identified by a surge rating and not continuous
- current rating.

Dimensional Data








Physical Size: Refer to "Dimensional Data"

CATALOG NUMBER	8x20µS SURGE RATING	MELTING I ² t (A ² s)	CLEARING I ² t (A ² s)	Ipeak @ 100kA 60 Hz (A)
TVSS-5	5,000A	559	1,650	4,283
TVSS-10	10,000A	1,788	5,766	6,618
TVSS-15	15,000A	3,760	9,730	7,843
TVSS-20	20,000A	6,020	14.000	8.594

Above catalog numbers are available with Printed Circuit Board Tabs. When ordering, use suffix "-01".

0.019 [.48] 1.540±.015 [39.12±.38]



See Data Sheets listed below

• Finger-safe fuseholders - 1109, 1102, 1103, 1151 • Panel-mount fuseholders - 2114, 2113, 2108,

• Open fuseblocks - 1104, 2104

• In-line fuseholders - 2127, 2126

CE logo denotes compliance with European Union Low Voltage Directive (50-1000Vac, 75-1500Vdc). Refer to Data Sheet: 8002 or contact Bussmann Application Engineering at 636-527-1270 for more information.

Recommended fuseblocks/fuseholders for 13/32" x 1-1/2" fuses




Form No. TVSS Page 1 of 3 Data Sheet: 2141



Transient Voltage Surge Suppression Limiters TVSS


Time-Current Characteristic Curves-Average Melt





Transient Voltage Surge Suppression Limiters

Time-Current Characteristic Curves-Peak Let-Through



RMS Symmetrical Current In Amperes x100

The only controlled copy of this Data Sheet is the electronic read-only version located on the Bussmann Network Drive. All other copies of this document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.



Form No. TVSS Page 3 of 3 Data Sheet: 2141

TVSS

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Eaton:

TVSS-100 TVSS-15 TVSS-15-01 TVSS-20 TVSS-20-01 TVSS-60 TVSS-LB-60