

Semiconductor Fuse 5-30A, 700 Volts



BIF Document

Size

10⁴ 6 4 2 10³ 6 4 2 10² 6 4 2 10¹ Virtual Pre-Arcing Time In Seconds 6 4 2 100 6 FWP-5B 4 FWP-10B FWP-15B 2 FWP-20B 10⁻¹ FWP-25B FWP-30B 6 4 2 10⁻² 6 4 2 10⁻³ 6 4 2 10⁻⁴ 2 2 4 6 8 4 6 8 2 4 8 6 10^{2} 10^{1} 10^{3} Prospective Current In Amperes RMS NN 1 of 2 **Minimum Melting** Approved: Page Time-Current Characteristic Curves **FWP 5B-30B** SEPT-97 **JAN-98** Rev. Date: Pub. Date:



BUSSMANN P.O. Box 14460 St. Louis, MO 63178-4460 U.S.A. Phone: 314-394-2877 Fax: 800-544-2570 Int'l Fax: 314-527-1413

BUSSMANN U.K. Burton-on-the-Wolds Leicestershire LE12 5TH England 44-1509-882737 44-1509-882786 Phone: Fax:


BUSSMANN DENMARK

5 Literbuen DK-2740 Skovlunde Copenhagen, Denmark Phone: 45-4485-0900 Fax: 45-4485-0901



Semiconductor Fuse 5-30A, 700 Volts

BIF Document **35785316** Size





The only controlled copy of this BIF document is the electronic read-only version located on the Bussmann Network Drive. All other copies of this BIF document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Eaton: <u>FWP-50BI</u> <u>FWP-60BI</u>