

Dispensable Hybrid Thermal/EMI Absorber

CoolZorb™ D 3W/1K



DISPENSABLE HYBRID THERMAL/EMI ABSORBER

CoolZorb™ D 3W/1K is a single part dispensable hybrid EM energy absorbing/thermal management material with thermal conductivity of 3.5 W/mK. This material is designed to be used like a traditional single part dispensable thermal interface material between heat sources, such as a high-power IC, and heatsinks or other heat transfer devices or metal chassis. CoolZorb™ D 3W/1K also functions to suppress unwanted energy coupling, resonances or surface currents causing board level EMI issues. It is vertically reliable which makes it suitable for equipment and devices that will be installed and used in any orientation.

FEATURES AND BENEFITS

- Good thermal conductivity
- Great EMI suppression over wide frequency range, particularly 20GHz and above
- One-part dispensable thermal interface material for high volume production
- Compliant with minimal component stress during assembly
- Passes UL94V0 requirements

PROPERTIES	TYPICAL VALUE	METHOD
Color	Grey	Visual
Thermal Conductivity	3.5 W/mK	Hot Disk
Flow Rate	70 g/min	Laird Test Method – A16724-00
Temperature Range	-40°C – 150°C	Laird Test Method
Volume Resistivity	1.0×10^{13} Ohm-cm	ASTM D257
Outgassing (TML/CVCM)	0.09 wt%/0.03 wt%	ASTM E595
Flammability	V-0 (Pending)	UL 94
Dielectric Breakdown	2 kV/mm	ASTM D149
Minimum Bond Line Thickness	0.05 mm	Laird Test Method – A16112-00

USA: +1.866.928.8181

Europe: +49.8031.24600

Asia: +86.755.2714.1166

www.laird.com



MFS-DS-Coolzorb D 3W/1K_20220320

Any information furnished by Laird Technologies, Inc. or any of its affiliates or agents ("Laird") is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user. Laird makes no warranties as to the fitness, merchantability, suitability or non-infringement of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird's Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2022 Laird Technologies, Inc. All Rights Reserved. Laird™, Laird Technologies™, the Laird Logo, and other marks are trademarks or registered trademarks of Laird Technologies, Inc. or an affiliate company thereof. DuPont™ is a trademark or registered trademark of DuPont de Nemours, Inc. or an affiliate company thereof. Other marks may be owned by third parties. Nothing herein provides a license under any Laird or any third-party intellectual property rights.


Dispensable Hybrid Thermal/EMI Absorber

CoolZorb™ D 3W/1K

VALUE

- Performance advantage comes from dual functional properties of thermal conductivity and EMI mitigation
- Improved reliability performance of electronics
 - Better signal integrity due to reduction of EMI
 - Consistent performance of electronics due to temperature stability and low outgassing properties of product
- Improved EMC performance to meet compliance requirements
- Environmentally friendly solution that meets regulatory requirements including RoHS and REACH

CoolZorb™ D 3W/1K Attenuation (dB/cm)





Dispensable Hybrid Thermal/EMI Absorber

CoolZorb™ D 3W/1K

AVAILABILITY

- Standard size in aluminum cartridges (300cc) and pails (9kg)
- 30cc syringe samples available

PART NUMBER SYSTEM

A17845-10	30cc, Syringe
A18440-07	300cc Aluminum Cartridge
A18441-03	9kg, 1 gallon Steel Pail

MFS-DS-Coolzorb D 3W/1K_20220320

Any information furnished by Laird Technologies, Inc. or any of its affiliates or agents ("Laird") is believed to be accurate and reliable. All specifications are subject to change without notice. Responsibility for the use and application of Laird materials rests with the end user. Laird makes no warranties as to the fitness, merchantability, suitability or non-infringement of any Laird materials or products for any specific or general uses. Laird shall not be liable for incidental or consequential damages of any kind. All Laird products are sold pursuant to the Laird's Terms and Conditions of sale in effect from time to time, a copy of which will be furnished upon request. © Copyright 2022 Laird Technologies, Inc. All Rights Reserved. Laird™, Laird Technologies™, the Laird Logo, and other marks are trademarks or registered trademarks of Laird Technologies, Inc. or an affiliate company thereof. DuPont™ is a trademark or registered trademark of DuPont de Nemours, Inc. or an affiliate company thereof. Other marks may be owned by third parties. Nothing herein provides a license under any Laird or any third-party intellectual property rights.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Laird Performance Materials:

[A18440-07](#) [A18441-03](#)