

communication cartridge module, Modicon M221, 1 serial line extension

TMC2SL1

Main

Range of product	Modicon M221	
Product or component type	Serial line cartridge	
Product compatibility	Modicon M221C	

Complementary

Integrated connection type	Non isolated serial link - screw terminal block for RS232 Non isolated serial link - screw terminal block for RS485	
Transmission rate	1.2115.2 kbit/s (115.2 kbit/s by default) for bus length of 15 m for RS485 1.2115.2 kbit/s (115.2 kbit/s by default) for bus length of 3 m for RS232	
Communication port protocol	Non isolated serial link: Modbus master/slave - RTU/ASCII or SoMachine-Network	
Insulation	Non-insulated between lines and internal logic	
Height	41 mm	
Depth	15 mm	
Width	35 mm	
Product weight	0.015 kg	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.569 cm
Package 1 Width	4.742 cm
Package 1 Length	6.985 cm
Package 1 Weight	30.0 g
Unit Type of Package 2	CAR
Number of Units in Package 2	75
Package 2 Height	14.4 cm
Package 2 Width	29.2 cm
Package 2 Length	39.5 cm
Package 2 Weight	3.32 kg
Unit Type of Package 3	P12
Number of Units in Package 3	2400
Package 3 Height	105 cm

Package 3 Width	120 cm
Package 3 Length	80 cm
Package 3 Weight	111 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Again

○ Repack and remanufacture		
End of life manual availability	End of Life Information	
Take-back	No	
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	