

Head for pilot light, Harmony XAC, for incandescent bulb, plastic, green cap, 22mm

ZA2BV03

Main

| Range of product | Harmony | |
|------------------------------|-----------------------|--|
| Product or component type | Head for pilot light | |
| Product specific application | For incandescent bulb | |
| Cap/operator or lens colour | Green | |

Complementary

| Mechanical durability | 1000000 cycles | |
|-----------------------|----------------|--|
| Product weight | 0.015 kg | |
| Compatibility code | ZA2B | |

Environment

| Standards | CSA C22.2 No 14 IEC 60947-5-1 | |
|---------------------------------------|-------------------------------------------------|--|
| Protective treatment | тн | |
| Ambient air temperature for operation | -2555 °C | |
| Ambient air temperature for storage | -4070 °C | |
| Vibration resistance | 15 gn (f= 10500 Hz) conforming to IEC 60068-2-6 | |
| Shock resistance | 100 gn conforming to IEC 60068-2-27 | |
| Electrical shock protection class | Class II conforming to IEC 61140 | |
| Overvoltage category | Class II conforming to IEC 61140 | |
| IP degree of protection | IP65 conforming to IEC 60529 | |
| IK degree of protection | IK08 conforming to IEC 62262 | |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|--------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 3.5 cm |
| Package 1 Width | 4.0 cm |
| Package 1 Length | 4.0 cm |
| Package 1 Weight | 15.0 g |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 10 |

| Package 2 Height | 5.0 cm |
|------------------------------|----------|
| Package 2 Width | 17.0 cm |
| Package 2 Length | 15.0 cm |
| Package 2 Weight | 152.0 g |
| Unit Type of Package 3 | S01 |
| Number of Units in Package 3 | 100 |
| Package 3 Height | 15.0 cm |
| Package 3 Width | 15.0 cm |
| Package 3 Length | 40.0 cm |
| Package 3 Weight | 1.705 kg |

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| ∅ Environmental footprint | |
|----------------------------------|-------------------------------|
| Total lifecycle Carbon footprint | 1 |
| Environmental Disclosure | Product Environmental Profile |

Use Better

| Materials and Substances | |
|----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard | No |
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| California proposition 65 | WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |

Use Again

| ○ Repack and remanufacture | |
|---------------------------------|-------------------------|
| End of life manual availability | End of Life Information |
| Take-back | No |