

Product data sheet

Specifications



PanelSeT WM enclosure canopy
W400xD200 Colour RAL7035..
Fixings supplied.

NSYTJ4020

Main

Range	PanelSeT
Accessory / separate part category	Enclosure accessory
Product or component type	Canopy
Application	Multi-purpose
Range compatibility	PanelSeT CRN PanelSeT S3D
For enclosure nominal dimensions	-
Mounting location	On top of enclosure
Device composition	canopy fixing elements instruction sheet

Complementary

Material	Galvanised steel
Colour	Grey (RAL 7035)
Surface finish	Epoxy-polyester powder
Fixing mode	By 4 screws - screw type M6
Height	36 mm
Width	Real: 409 mm Nominal: 400 mm
Depth	Nominal : 200 mm
Product weight	1.66 kg
Mounting diameter	8 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.000 cm
Package 1 Width	22.500 cm
Package 1 Length	42.000 cm
Package 1 Weight	1.570 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	200

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Height	105.000 cm
Package 2 Width	100.000 cm
Package 2 Length	120.000 cm
Package 2 Weight	329.000 kg

Contractual warranty

Warranty	18 months
----------	-----------

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	9d8b9f71-75cb-4d4a-a1a2-50559a3b422a
REACH Regulation	REACH Declaration

Use Again

Repack and remanufacture	
End of life manual availability	No need of specific recycling operations
Take-back	No