



APC Replacement Battery Cartridge for Back-UPS, 12V 9Ah lead-acid battery, 2-year repair or replace warranty

RBC17

Product availability: Non-Stock - Not normally stocked in distribution facility

Overview

Lead time Usually in Stock

Main

Product or Component Type	Replacement battery cartridge	
Number of cables	1	
Battery Type	Lead-Acid battery	
Provided Equipment	All required connectors Battery recycling guide Reusable packaging Installation guide	

Batteries & Runtime

Battery Placement	Internal Battery	
Battery Slots Empty	0	
Included Battery Modules	0	
Device mounting	Stand alone battery stack	
Battery Voltage	12 V	
RBC Quantity	1	

Physical

Color	Black
Height	2.56 in (6.5 cm)
Width	3.70 in (9.4 cm)
Depth	5.94 in (15.1 cm)
Product Weight	5.71 lb(US) (2.59 kg)
Mounting Mode	Not rack-mountable
USB compatible	No

Output

Battery Capacity 9.0 Ah

Environmental

Ambient Air Temperature for 32...104 °F (0...40 °C)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Operating altitude	010000 ft
Relative Humidity	095 %
Ambient Air Temperature for Storage	5113 °F (-1545 °C)
Storage altitude	050000 ft (015240 m)
Storage Relative Humidity	095 %

Ordering and shipping details

Category	11309 - APC RESALE PRODUCTS	
GTIN	731304206811	
Returnability	No	

Packing Units

r aciming critico	
Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	3.50 in (8.900 cm)
Package 1 Width	6.89 in (17.500 cm)
Package 1 Length	8.39 in (21.300 cm)
Package weight(Lbs)	6.305 lb(US) (2.860 kg)
Unit Type of Package 2	P12
Number of Units in Package 2	48
Package 2 Height	31.50 in (80.000 cm)
Package 2 Width	31.50 in (80.000 cm)
Package 2 Length	47.24 in (120.000 cm)
Package 2 Weight	306.037 lb(US) (138.816 kg)

Contractual warranty

Warranty 2 years repair or replace



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint		
Carbon footprint (kg CO2 eq, Total Life cycle)	9	

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACh Regulation	REACh Declaration
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No
WEEE Label	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins.

Product data sheet

RBC17

Image of product / Alternate images

Alternative

